BETHESDA FIRE DEPARTMENT 01/01/2010 TO 12/31/2010

	STATION 06	STATION 20	STATION 26	Total
ABDOMINAL PAIN	49	40	63	152
ACTIVATED CARBON DIOXIDE DETECTOR	8	3	6	17
ACTIVATED SMOKE DETECTOR	2	3	1	6
ADAPTIVE RESPONSE	5	0	2	7
ALA/AFA	240	94	205	539
ALA/AHFA	110	32	111	253
ALA/BELS	11	24	14	49
ALLERGIC	27	11	27	65
ALS FROM FIRE/RESCUE	9	4	3	16
ALS FROM POLICE	21	8	12	41
ANIMAL BITE	2	1	2	5
ARREST	29	12	18	59
ASSAULT	9	3	12	24
AUDIBLE ALARM BELLS	5	5	1	11
AUTO HOME FIRE ALARM	25	7	18	50
AUTO LEAKING FUEL	4	1	3	8
AUTOMATIC FIRE ALARM	47	14	41	102
BACK PAIN	18	22	25	65
BLEEDING	70	48	51	169
BLS FROM FIRE/RESCUE	28	10	9	47
BLS FROM OFFICER	61	40	33	134
BOMB PRESENT	11	9	5	25
BOX ALARM	10	7	7	24
BRUSH, GRASS, WOODS	0	1	1	2
BURNS	3	2	3	8
CHEST PAIN	105	68	111	284
CHOKING	11	8	9	28

BETHESDA FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 06	STATION 20	STATION 26	Total
CONFINED OVEN FIRE	1	0	1	2
DIABETIC	27	15	33	75
DROWNING	1	0	1	2
ELEC/SHT	6	5	6	17
ELECTRICAL SHORT	3	0	2	5
ELECTROCUTION	1	1	1	3
EXPOSURE	1	3	5	9
EYE INJURY	2	2	1	5
FALLS	327	174	240	741
FCRASH	0	0	1	1
FIR/APPL	7	2	5	14
FIR/APT	3	4	0	7
FIR/BLDG	2	3	1	6
FIR/BRSH	9	4	15	28
FIR/DUMP	2	0	1	3
FIR/HOUS	7	4	5	16
FIR/LGVH	0	5	2	7
FIR/OUT	0	1	0	1
FIR/SEWR	0	0	1	1
FIR/SHED	0	0	1	1
FIR/TRSH	2	0	2	4
FIR/TXFM	2	4	8	14
FIR/UNK	4	1	3	8
FIR/VEH	5	17	16	38
FIRE REPORTED OUT	1	1	0	2
FIRE SERVICE CALL	21	19	24	64
FIREOUT W/SMOKE COND	1	0	0	1

BETHESDA FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 06	STATION 20	STATION 26	Total
FRS-PIC	4	13	12	29
GAS LEAK INSIDE STRUCTURE	19	23	15	57
GAS LEAK OUTSIDE	22	7	11	40
HAZMAT BOX ALARM	3	1	6	10
HEADACHE	16	11	13	40
HEART PROBLEMS	43	29	40	112
HOUSE FIRE	5	1	3	9
ILLEGAL BBQ	0	1	0	1
ILLEGAL FIRE	4	2	2	8
INDUST/MACH	1	0	0	1
INHALATION	1	2	1	4
INSIDE ODOR OF GAS	0	2	0	2
INVESTIGATION	18	15	25	58
INVESTIGATION - SMOKE	2	4	6	12
INVST/SD	4	14	6	24
LOCK-IN	10	5	10	25
LOCK-OUT	2	0	1	3
LOCKOUT/FOOD ON STOVE	1	2	1	4
MA/ENRT	2	0	0	2
METRO ALS INCIDENT	0	1	0	1
METRO BOX ALARM	3	0	0	3
METRO TASK FORCE	4	0	0	4
MUTUAL AID RESCUE	2	0	0	2
ODOR OF SMOKE	13	8	5	26
OVERDOSE	9	13	10	32
PALLATIVE CARE	1	177	587	765
PATIENT ASSISTANCE	5	6	6	17

BETHESDA FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 06	STATION 20	STATION 26	Total
PENETRATING WOUND	1	0	2	3
PERSONAL INJURY COLLISION	107	216	231	554
POLE FIRE	1	0	0	1
POL-PIC	14	26	29	69
PREGNANCY	5	3	8	16
PSYCHIATRIC	17	9	17	43
RESET ALARM SYSTEM	13	5	4	22
SC/ASST	110	97	68	275
SC/BBQ	0	0	1	1
SC/CO	8	17	27	52
SC/LKIN	3	1	5	9
SC/LKOT	0	2	2	4
SC/RESET	7	3	2	12
SC/WATR	13	12	6	31
SEIZURE	42	30	46	118
SERVICE CALL - TREE ON A BUILDING	1	1	2	4
SERVICE CALL FOR STUCK ELEVATOR	96	36	17	149
SICK	237	224	242	703
SPECIAL DETAIL EVENT	1	1	0	2
STROKE	43	28	53	124
SUICIDE > TO FRS VIA MCPD	2	3	8	13
TRANSFORMER FIRE	6	4	9	19
TRAUMA	39	29	60	128
TROUBLE BREATHING	133	101	145	379
TRUCK FIRE	0	1	0	1
UNCONSCIOUS	204	83	141	428
UNDETERMINED FIRE	0	1	0	1

BETHESDA FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 06	STATION 20	STATION 26	Total
UNKNOWN HAZMAT	0	1	2	3
UNKNOWN MEDICAL EMERGENCY	20	15	13	48
UNKNOWN PROBLEM	110	55	73	238
VEHICLE FIRE	0	4	5	9
WATER SUPPLY TASK FORCE	5	0	0	5
WATERFLOW ALARM	1	1	0	2
WIRES DOWN	49	63	59	171
TOTAL	2837	2151	3205	8193

BETHESDA-CHEVY CHASE RESCUE SQUAD

01/01/2010 TO 12/31/2010

	STATION R1	Total
ABDOMINAL PAIN	17	17
ACTIVATED CARBON DIOXIDE DETECTOR	9	9
ACTIVATED SMOKE DETECTOR	1	1
ADAPTIVE RESPONSE	6	6
ALA/AFA	141	141
ALA/AHFA	93	93
ALA/BELS	7	7
ALLERGIC	15	15
ALS FROM FIRE/RESCUE	16	16
ALS FROM POLICE	19	19
ARREST	15	15
ASSAULT	10	10
AUDIBLE ALARM BELLS	5	5
AUTO HOME FIRE ALARM	16	16
AUTO LEAKING FUEL	3	3
AUTOMATIC FIRE ALARM	19	19
BACK PAIN	12	12
BLEEDING	25	25
BLS FROM FIRE/RESCUE	24	24
BLS FROM OFFICER	56	56
BOMB PRESENT	14	14
BOX ALARM	4	4
CHEST PAIN	26	26
CHOKING	3	3
CONFINED OVEN FIRE	1	1
DIABETIC	22	22
ELEC/SHT	5	5

BETHESDA-CHEVY CHASE RESCUE SQUAD

01/01/2010 TO 12/31/2010

	STATION R1	Total
ELECTRICAL SHORT	1	1
EXPOSURE	1	1
FALLS	139	139
FIR/APPL	5	5
FIR/APT	2	2
FIR/BLDG	2	2
FIR/BRSH	7	7
FIR/OUT	3	3
FIR/TRSH	2	2
FIR/TXFM	11	11
FIR/UNK	1	1
FIR/VEH	4	4
FIRE SERVICE CALL	10	10
FRS-PIC	2	2
GAS LEAK INSIDE STRUCTURE	9	9
GAS LEAK OUTSIDE	9	9
HEADACHE	11	11
HEART PROBLEMS	24	24
HOUSE FIRE	1	1
ILLEGAL FIRE	3	3
INVESTIGATION	18	18
INVESTIGATION - SMOKE	4	4
INVST/SD	4	4
LOCK-IN	7	7
LOCK-OUT	2	2
ODOR OF SMOKE	12	12
OVERDOSE	14	14

BETHESDA-CHEVY CHASE RESCUE SQUAD

01/01/2010 TO 12/31/2010

	STATION R1	Total
PALLATIVE CARE	10	10
PATIENT ASSISTANCE	6	6
PENETRATING WOUND	2	2
PERSONAL INJURY COLLISION	50	50
POL-PIC	4	4
PREGNANCY	2	2
PSYCHIATRIC	12	12
RES/LOW	1	1
RESET ALARM SYSTEM	8	8
SC/ASST	52	52
SC/CO	18	18
SC/LKIN	2	2
SC/RESET	3	3
SC/WATR	3	3
SEIZURE	21	21
SERVICE CALL - TREE ON A BUILDING	1	1
SERVICE CALL FOR STUCK ELEVATOR	34	34
SICK	126	126
STROKE	25	25
SUICIDE > TO FRS VIA MCPD	8	8
TRANSFORMER FIRE	7	7
TRAUMA	19	19
TROUBLE BREATHING	50	50
UNCONSCIOUS	98	98
UNKNOWN MEDICAL EMERGENCY	7	7
UNKNOWN PROBLEM	85	85
WIRES DOWN	68	68

BETHESDA-CHEVY CHASE RESCUE SQUAD

01/01/2010 TO 12/31/2010

	STATION R1	Total
TOTAL	1614	1614

BURTONSVILLE VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 15	Total
ABDOMINAL PAIN	126	126
ACTIVATED CARBON DIOXIDE DETECTOR	7	7
ACTIVATED SMOKE DETECTOR	7	7
ADAPTIVE RESPONSE	2	2
ALA/AFA	110	110
ALA/AHFA	75	75
ALA/BELS	22	22
ALLERGIC	45	45
ALS FROM FIRE/RESCUE	22	22
ALS FROM POLICE	22	22
ANIMAL BITE	2	2
ARREST	20	20
ASSAULT	32	32
AUDIBLE ALARM BELLS	8	8
AUTO HOME FIRE ALARM	16	16
AUTO LEAKING FUEL	11	11
AUTOMATIC FIRE ALARM	30	30
BACK PAIN	31	31
BLEEDING	93	93
BLS FROM FIRE/RESCUE	16	16
BLS FROM OFFICER	89	89
BOMB PRESENT	5	5
BOMB THREAT	2	2
BOX ALARM	23	23
BRUSH, GRASS, WOODS	1	1
BURNS	9	9
CHEST PAIN	213	213

BURTONSVILLE VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 15	Total
CHOKING	28	28
CONFINED HVAC FIRE	1	1
DIABETIC	71	71
DROWNING	1	1
ELEC/SHT	10	10
ELECTRICAL SHORT	3	3
ELECTROCUTION	2	2
EXPOSURE	2	2
EYE INJURY	9	9
FALLS	226	226
FIR/APPL	14	14
FIR/APT	9	9
FIR/BLDG	1	1
FIR/BRSH	12	12
FIR/DUMP	3	3
FIR/HOUS	6	6
FIR/LGVH	2	2
FIR/OUT	2	2
FIR/SEWR	1	1
FIR/TRSH	3	3
FIR/TXFM	6	6
FIR/UNK	5	5
FIR/VEH	19	19
FIRE REPORTED OUT	2	2
FIRE SERVICE CALL	40	40
FIREOUT W/SMOKE COND	2	2
FRS-PIC	19	19

BURTONSVILLE VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 15	Total
GAS LEAK INSIDE STRUCTURE	26	26
GAS LEAK OUTSIDE	19	19
HAZMAT BOX ALARM	9	9
HEADACHE	22	22
HEART PROBLEMS	63	63
HM/PWDR	1	1
HOUSE FIRE	10	10
ILLEGAL BBQ	1	1
ILLEGAL FIRE	5	5
INHALATION	2	2
INVESTIGATION	35	35
INVESTIGATION - SMOKE	8	8
INVST/SD	10	10
LOCK-IN	12	12
LOCK-OUT	5	5
LOCKOUT/FOOD ON STOVE	3	3
ODOR OF SMOKE	21	21
OVERDOSE	41	41
PALLATIVE CARE	503	503
PATIENT ASSISTANCE	4	4
PENETRATING WOUND	9	9
PERSONAL INJURY COLLISION	298	298
POLE FIRE	1	1
POL-PIC	42	42
POWDER	1	1
PREGNANCY	44	44
PSYCHIATRIC	49	49

BURTONSVILLE VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 15	Total
RESET ALARM SYSTEM	7	7
SC/ASST	54	54
SC/BBQ	1	1
SC/CO	28	28
SC/LKIN	4	4
SC/LKOT	1	1
SC/RESET	5	5
SC/WATR	18	18
SEIZURE	78	78
SERVICE CALL - TREE ON A BUILDING	3	3
SERVICE CALL FOR STUCK ELEVATOR	5	5
SHED FIRE	1	1
SICK	421	421
STROKE	61	61
SUICIDE > TO FRS VIA MCPD	18	18
TRANSFORMER FIRE	3	3
TRAUMA	83	83
TROUBLE BREATHING	272	272
UNCONSCIOUS	170	170
UNKNOWN HAZMAT	1	1
UNKNOWN MEDICAL EMERGENCY	28	28
UNKNOWN PROBLEM	68	68
VEHICLE FIRE	7	7
WIRES DOWN	29	29
TOTAL	4148	4148

CABIN JOHN PARK VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 10	STATION 30	Total
ABDOMINAL PAIN	19	16	35
ACTIVATED CARBON DIOXIDE DETECTOR	10	13	23
ACTIVATED SMOKE DETECTOR	3	4	7
ADAPTIVE RESPONSE	0	2	2
ALA/AFA	47	32	79
ALA/AHFA	128	198	326
ALA/BELS	3	3	6
ALLERGIC	12	12	24
ALS FROM FIRE/RESCUE	13	7	20
ALS FROM POLICE	4	2	6
ANIMAL BITE	1	1	2
ARREST	18	3	21
ASSAULT	1	2	3
AUTO HOME FIRE ALARM	18	49	67
AUTO LEAKING FUEL	1	1	2
AUTOMATIC FIRE ALARM	14	5	19
BACK PAIN	6	7	13
BLEEDING	20	23	43
BLS FROM FIRE/RESCUE	34	5	39
BLS FROM OFFICER	9	6	15
BOMB PRESENT	1	1	2
BRUSH, GRASS, WOODS	0	1	1
BURNS	1	0	1
CHEST PAIN	48	24	72
CHOKING	4	4	8
CONFINED OVEN FIRE	0	1	1
CYLINDER LEAK OUTSDE	1	0	1

CABIN JOHN PARK VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 10	STATION 30	Total
DIABETIC	17	12	29
ELEC/SHT	3	2	5
ELECTRICAL SHORT	1	4	5
EXPOSURE	2	3	5
EYE INJURY	1	1	2
FALLS	154	80	234
FIR/APPL	3	3	6
FIR/BRSH	10	3	13
FIR/HOUS	6	7	13
FIR/LGVH	6	0	6
FIR/OUT	1	1	2
FIR/SHED	0	1	1
FIR/TRSH	0	1	1
FIR/TXFM	2	4	6
FIR/UNK	1	1	2
FIR/VEH	18	1	19
FIRE OTHER	1	0	1
FIRE SERVICE CALL	11	9	20
FIREOUT W/SMOKE COND	0	1	1
FRS-PIC	7	3	10
GAS LEAK INSIDE STRUCTURE	7	8	15
GAS LEAK OUTSIDE	6	12	18
HAZMAT BOX ALARM	1	2	3
HEADACHE	4	5	9
HEART PROBLEMS	11	8	19
HOUSE FIRE	3	3	6
ILLEGAL FIRE	3	3	6

CABIN JOHN PARK VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

INLAND WATER RESCUE 1 0 1 INSIDE ODOR OF GAS 1 1 0 1 INVESTIGATION 24 4 28 INVESTIGATION 5MOKE 2 3 5 INVST/SD 6 3 9 LOCK-IN 2 2 4 LOCK-OUT 1 0 1 LOCKOUT/FOOD ON STOVE 0 1 1 MA/R 2 0 2 MUTUAL AID FIRE 5 0 5 MUTUAL AID RESCUE 7 0 7 ODOR OF SMOKE 10 6 16 OVERDOSE 5 7 12 PATIENT ASSISTANCE 1 2 3 PERSONAL INJURY COLLISION 216 54 270 POL-PIC 15 1 16 PREGNANCY 1 4 5 PSYCHIATRIC 11 4 15 RESET ALARM SYSTEM 2 2 4 RIV/SWFT 1 22 23 SC/ASST 29 23 52 SC/CCO 20 16 36 SC/LKOT 1 1 2 SC/RESET 1 0 1 1 SC/WATR 6 6 SC/CKST 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
INLAND WATER RESCUE 1 0 1 INSIDE ODOR OF GAS 1 1 0 1 INVESTIGATION 24 4 28 INVESTIGATION 5MOKE 2 3 5 INVST/SD 6 3 9 LOCK-IN 2 2 4 LOCK-OUT 1 0 1 LOCKOUT/FOOD ON STOVE 0 1 1 MA/R 2 0 2 MUTUAL AID FIRE 5 0 5 MUTUAL AID RESCUE 7 0 7 ODOR OF SMOKE 10 6 16 OVERDOSE 5 7 12 PATIENT ASSISTANCE 1 2 3 PERSONAL INJURY COLLISION 216 54 270 POL-PIC 15 1 16 PREGNANCY 1 4 5 PSYCHIATRIC 11 4 15 RESET ALARM SYSTEM 2 2 4 RIV/SWFT 1 22 23 SC/ASST 29 23 52 SC/CCO 20 16 36 SC/LKOT 1 1 2 SC/RESET 1 0 1 1 SC/WATR 6 6 SC/CKST 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				Total
INSIDE ODOR OF GAS 1 0 1 INVESTIGATION 24 4 28 INVESTIGATION - SMOKE 2 3 5 INVST/SD 6 3 9 LOCK-IN 2 2 4 LOCK-OUT 1 0 1 LOCKOUT/FOOD ON STOVE MA/R 2 0 2 MUTUAL AID FIRE 5 0 5 MUTUAL AID FIRE 5 0 6 MOTOR OF SMOKE 10 6 16 OVERDOSE PATIENT ASSISTANCE 1 2 3 PERSONAL INJURY COLLISION POL-PIC 15 1 16 PREGNANCY PSYCHIATRIC 11 4 5 PSYCHIATRIC RESET ALARM SYSTEM 2 2 3 52 SC/CO 20 16 36 SC/LKOT 1 1 2 SC/RESET 1 0 1 SC/WATR 4 2 6	INHALATION	1	1	2
INVESTIGATION 24 4 28 INVESTIGATION - SMOKE 2 3 5 INVST/SD 6 3 9 LOCK-IN 2 2 4 LOCK-OUT 1 0 1 LOCKOUT/FOOD ON STOVE 0 1 1 MA/R 2 0 2 MUTUAL AID FIRE 5 0 5 MUTUAL AID RESCUE 7 0 7 ODOR OF SMOKE 10 6 16 OVERDOSE 5 7 12 PATIENT ASSISTANCE 1 2 3 PERSONAL INJURY COLLISION 216 54 270 POL-PIC 15 1 16 PREGNANCY 1 4 5 PSYCHIATRIC 11 4 15 RESET ALARM SYSTEM 2 2 4 RIV/SWFT 1 22 23 SC/ASST 29 23 52 SC/CO 20 16 36 SC/LKOT 1 1 1 2 SC/WATR 6 6	INLAND WATER RESCUE	1	0	1
INVESTIGATION - SMOKE 2 3 5 INVST/SD 6 3 9 LOCK-IN 2 2 2 4 LOCK-OUT 1 0 1 LOCKOUT/FOOD ON STOVE 0 1 1 MA/R 2 0 2 MUTUAL AID FIRE 5 0 5 MUTUAL AID RESCUE 7 0 7 ODOR OF SMOKE 10 6 16 OVERDOSE 5 7 12 PATIENT ASSISTANCE 1 2 3 PERSONAL INJURY COLLISION 216 54 270 POL-PIC 15 1 16 PREGNANCY 1 4 5 PSYCHIATRIC 11 4 15 RESET ALARM SYSTEM 2 2 4 RIV/SWFT 1 22 23 SC/ASST 29 23 52 SC/CO 20 16 36 SC/LKOT 1 1 2 SC/RESET 1 0 1	INSIDE ODOR OF GAS	1	0	1
INVST/SD	INVESTIGATION	24	4	28
LOCK-IN 2 2 4 LOCK-OUT 1 0 1 LOCKOUT/FOOD ON STOVE 0 1 1 MA/R 2 0 2 MUTUAL AID FIRE 5 0 5 MUTUAL AID RESCUE 7 0 7 ODOR OF SMOKE 10 6 16 OVERDOSE 5 7 12 PATIENT ASSISTANCE 1 2 3 PERSONAL INJURY COLLISION 216 54 270 POL-PIC 15 1 16 PREGNANCY 1 4 5 PSYCHIATRIC 11 4 15 RESET ALARM SYSTEM 2 2 4 RIV/SWFT 1 22 23 SC/ASST 29 23 52 SC/CO 20 16 36 SC/LKOT 1 1 2 SC/RESET 1 0 1 SC/WATR 4 2 6	INVESTIGATION - SMOKE	2	3	5
LOCK-OUT 1 0 1 LOCKOUT/FOOD ON STOVE 0 1 1 MA/R 2 0 2 MUTUAL AID FIRE 5 0 5 MUTUAL AID RESCUE 7 0 7 ODOR OF SMOKE 10 6 16 OVERDOSE 5 7 12 PATIENT ASSISTANCE 1 2 3 PERSONAL INJURY COLLISION 216 54 270 POL-PIC 15 1 16 PREGNANCY 1 4 5 PSYCHIATRIC 11 4 15 RESET ALARM SYSTEM 2 2 4 RIV/SWFT 1 22 23 SC/ASST 29 23 52 SC/CO 20 16 36 SC/LKOT 1 1 1 2 SC/RESET 1 0 1 1 SC/WATR 4 2 6	INVST/SD	6	3	9
LOCKOUT/FOOD ON STOVE 0 1 1 MA/R 2 0 2 MUTUAL AID FIRE 5 0 5 MUTUAL AID RESCUE 7 0 7 ODOR OF SMOKE 10 6 16 OVERDOSE 5 7 12 PATIENT ASSISTANCE 1 2 3 PERSONAL INJURY COLLISION 216 54 270 POL-PIC 15 1 16 PREGNANCY 1 4 5 PSYCHIATRIC 11 4 15 RESET ALARM SYSTEM 2 2 4 RIV/SWFT 1 22 23 SC/ASST 29 23 52 SC/CO 20 16 36 SC/LKOT 1 1 1 2 SC/RESET 1 0 1 1 2 SC/WATR 4 2 6	LOCK-IN	2	2	4
MA/R 2 0 2 MUTUAL AID FIRE 5 0 5 MUTUAL AID RESCUE 7 0 7 ODOR OF SMOKE 10 6 16 OVERDOSE 5 7 12 PATIENT ASSISTANCE 1 2 3 PERSONAL INJURY COLLISION 216 54 270 POL-PIC 15 1 16 PREGNANCY 1 4 5 PSYCHIATRIC 11 4 15 RESET ALARM SYSTEM 2 2 4 RIV/SWFT 1 2 23 SC/ASST 29 23 52 SC/CO 20 16 36 SC/LKOT 1 1 2 SC/RESET 1 0 1 SC/WATR 4 2 6	LOCK-OUT	1	0	1
MUTUAL AID FIRE 5 0 5 MUTUAL AID RESCUE 7 0 7 ODOR OF SMOKE 10 6 16 OVERDOSE 5 7 12 PATIENT ASSISTANCE 1 2 3 PERSONAL INJURY COLLISION 216 54 270 POL-PIC 15 1 16 PREGNANCY 1 4 5 PSYCHIATRIC 11 4 15 RESET ALARM SYSTEM 2 2 4 RIV/SWFT 1 2 23 SC/ASST 29 23 52 SC/CO 20 16 36 SC/LKOT 1 1 2 SC/RESET 1 0 1 SC/WATR 4 2 6	LOCKOUT/FOOD ON STOVE	0	1	1
MUTUAL AID RESCUE 7 0 7 ODOR OF SMOKE 10 6 16 OVERDOSE 5 7 12 PATIENT ASSISTANCE 1 2 3 PERSONAL INJURY COLLISION 216 54 270 POL-PIC 15 1 16 PREGNANCY 1 4 5 PSYCHIATRIC 11 4 15 RESET ALARM SYSTEM 2 2 4 RIV/SWFT 1 22 23 SC/ASST 29 23 52 SC/CO 20 16 36 SC/LKOT 1 1 2 SC/RESET 1 0 1 SC/WATR 4 2 6	MA/R	2	0	2
ODOR OF SMOKE 10 6 16 OVERDOSE 5 7 12 PATIENT ASSISTANCE 1 2 3 PERSONAL INJURY COLLISION 216 54 270 POL-PIC 15 1 16 PREGNANCY 1 4 5 PSYCHIATRIC 11 4 15 RESET ALARM SYSTEM 2 2 4 RIV/SWFT 1 22 23 SC/ASST 29 23 52 SC/CO 20 16 36 SC/LKOT 1 1 2 SC/RESET 1 0 1 SC/WATR 4 2 6	MUTUAL AID FIRE	5	0	5
OVERDOSE 5 7 12 PATIENT ASSISTANCE 1 2 3 PERSONAL INJURY COLLISION 216 54 270 POL-PIC 15 1 16 PREGNANCY 1 4 5 PSYCHIATRIC 11 4 15 RESET ALARM SYSTEM 2 2 4 RIV/SWFT 1 22 23 SC/ASST 29 23 52 SC/CO 20 16 36 SC/LKOT 1 1 2 SC/RESET 1 0 1 SC/WATR 4 2 6	MUTUAL AID RESCUE	7	0	7
PATIENT ASSISTANCE 1 2 3 PERSONAL INJURY COLLISION 216 54 270 POL-PIC 15 1 16 PREGNANCY 1 4 5 PSYCHIATRIC 11 4 15 RESET ALARM SYSTEM 2 2 4 RIV/SWFT 1 22 23 SC/ASST 29 23 52 SC/CO 20 16 36 SC/LKOT 1 1 2 SC/RESET 1 0 1 SC/WATR 4 2 6	ODOR OF SMOKE	10	6	16
PERSONAL INJURY COLLISION 216 54 270 POL-PIC 15 1 16 PREGNANCY 1 4 5 PSYCHIATRIC 11 4 15 RESET ALARM SYSTEM 2 2 4 RIV/SWFT 1 22 23 SC/ASST 29 23 52 SC/CO 20 16 36 SC/LKOT 1 1 2 SC/RESET 1 0 1 SC/WATR 4 2 6	OVERDOSE	5	7	12
POL-PIC 15 1 16 PREGNANCY 1 4 5 PSYCHIATRIC 11 4 15 RESET ALARM SYSTEM 2 2 4 RIV/SWFT 1 22 23 SC/ASST 29 23 52 SC/CO 20 16 36 SC/LKOT 1 1 2 SC/RESET 1 0 1 SC/WATR 4 2 6	PATIENT ASSISTANCE	1	2	3
PREGNANCY 1 4 5 PSYCHIATRIC 11 4 15 RESET ALARM SYSTEM 2 2 4 RIV/SWFT 1 22 23 SC/ASST 29 23 52 SC/CO 20 16 36 SC/LKOT 1 1 2 SC/RESET 1 0 1 SC/WATR 4 2 6	PERSONAL INJURY COLLISION	216	54	270
PSYCHIATRIC 11 4 15 RESET ALARM SYSTEM 2 2 4 RIV/SWFT 1 22 23 SC/ASST 29 23 52 SC/CO 20 16 36 SC/LKOT 1 1 2 SC/RESET 1 0 1 SC/WATR 4 2 6	POL-PIC	15	1	16
RESET ALARM SYSTEM 2 2 4 RIV/SWFT 1 22 23 SC/ASST 29 23 52 SC/CO 20 16 36 SC/LKOT 1 1 1 2 SC/RESET 1 0 1 SC/WATR 4 2 6	PREGNANCY	1	4	5
RIV/SWFT 1 22 23 SC/ASST 29 23 52 SC/CO 20 16 36 SC/LKOT 1 1 1 2 SC/RESET 1 0 1 SC/WATR 4 2 6	PSYCHIATRIC	11	4	15
SC/ASST 29 23 52 SC/CO 20 16 36 SC/LKOT 1 1 1 2 SC/RESET 1 0 1 SC/WATR 4 2 6	RESET ALARM SYSTEM	2	2	4
SC/CO 20 16 36 SC/LKOT 1 1 2 SC/RESET 1 0 1 SC/WATR 4 2 6	RIV/SWFT	1	22	23
SC/LKOT 1 1 2 SC/RESET 1 0 1 SC/WATR 4 2 6	SC/ASST	29	23	52
SC/RESET 1 0 1 SC/WATR 4 2 6	SC/CO	20	16	36
SC/WATR 4 2 6	SC/LKOT	1	1	2
	SC/RESET	1	0	1
SEIZURE 18 12 30	SC/WATR	4	2	6
	SEIZURE	18	12	30

CABIN JOHN PARK VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 10	STATION 30	Total
SERVICE CALL - TREE ON A BUILDING	3	1	4
SERVICE CALL FOR STUCK ELEVATOR	9	1	10
SICK	105	81	186
SPECIAL DETAIL EVENT	0	7	7
STROKE	25	9	34
SUICIDE > TO FRS VIA MCPD	4	1	5
TRANSFORMER FIRE	9	4	13
TRAUMA	19	15	34
TROUBLE BREATHING	53	52	105
UNCONSCIOUS	67	46	113
UNDETERMINED FIRE	1	0	1
UNKNOWN HAZMAT	0	1	1
UNKNOWN MEDICAL EMERGENCY	8	2	10
UNKNOWN PROBLEM	28	30	58
VEHICLE FIRE	4	0	4
WIRES DOWN	66	30	96
TOTAL	1483	1050	2533

CHEVY CHASE FIRE DEPARTMENT 01/01/2010 TO 12/31/2010

	STATION 07	Total
ABDOMINAL PAIN	27	27
ACTIVATED CARBON DIOXIDE DETECTOR	12	12
ACTIVATED SMOKE DETECTOR	2	2
ADAPTIVE RESPONSE	2	2
ALA/AFA	37	37
ALA/AHFA	90	90
ALA/BELS	3	3
ALLERGIC	5	5
ALS FROM FIRE/RESCUE	11	11
ALS FROM POLICE	4	4
ARREST	13	13
ASSAULT	3	3
AUDIBLE ALARM BELLS	2	2
AUTO HOME FIRE ALARM	18	18
AUTO LEAKING FUEL	3	3
AUTOMATIC FIRE ALARM	5	5
BACK PAIN	14	14
BLEEDING	33	33
BLS FROM FIRE/RESCUE	6	6
BLS FROM OFFICER	20	20
BOMB PRESENT	6	6
BOX ALARM	3	3
BROKEN OUTSIDE GAS SERVICE	1	1
BRUSH, GRASS, WOODS	1	1
BURNS	2	2
CHEST PAIN	41	41
CHOKING	5	5

CHEVY CHASE FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 07	Total
DIABETIC	41	41
ELEC/SHT	4	4
ELECTRICAL SHORT	1	1
EXPOSURE	3	3
EYE INJURY	1	1
FALLS	173	173
FIR/APPL	2	2
FIR/BLDG	2	2
FIR/BRSH	6	6
FIR/HOUS	6	6
FIR/TXFM	2	2
FIR/UNK	1	1
FIR/VEH	10	10
FIRE SERVICE CALL	15	15
FIREOUT W/SMOKE COND	2	2
FRS-PIC	6	6
GAS LEAK INSIDE STRUCTURE	13	13
GAS LEAK OUTSIDE	8	8
HEADACHE	4	4
HEART PROBLEMS	22	22
HOUSE FIRE	2	2
INVESTIGATION	10	10
INVESTIGATION - SMOKE	3	3
INVST/SD	3	3
LOCK-IN	2	2
LOCK-OUT	4	4
MUTUAL AID RESCUE	1	1

CHEVY CHASE FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 07	Total
ODOR OF SMOKE	7	7
OVERDOSE	10	10
PALLATIVE CARE	180	180
PATIENT ASSISTANCE	13	13
PERSONAL INJURY COLLISION	223	223
POL-PIC	23	23
PREGNANCY	1	1
PSYCHIATRIC	16	16
RESET ALARM SYSTEM	3	3
SC/ASST	104	104
SC/CO	19	19
SC/LKIN	2	2
SC/WATR	3	3
SEIZURE	20	20
SERVICE CALL - TREE ON A BUILDING	6	6
SERVICE CALL FOR STUCK ELEVATOR	13	13
SICK	159	159
STROKE	23	23
SUICIDE > TO FRS VIA MCPD	2	2
TRANSFORMER FIRE	5	5
TRAUMA	36	36
TROUBLE BREATHING	70	70
UNCONSCIOUS	80	80
UNKNOWN MEDICAL EMERGENCY	16	16
UNKNOWN PROBLEM	36	36
VEHICLE FIRE	2	2
WIRES DOWN	99	99

CHEVY CHASE FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 07	Total
TOTAL	1887	1887

CLARKSBURG FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 35	Total
ABDOMINAL PAIN	27	27
ACTIVATED CARBON DIOXIDE DETECTOR	8	8
ACTIVATED SMOKE DETECTOR	3	3
ADAPTIVE RESPONSE	2	2
ALA/AFA	25	25
ALA/AHFA	19	19
ALA/BELS	5	5
ALLERGIC	10	10
ALS FROM FIRE/RESCUE	2	2
ALS FROM POLICE	7	7
ANIMAL BITE	1	1
ARREST	3	3
ASSAULT	5	5
AUTO HOME FIRE ALARM	6	6
AUTOMATIC FIRE ALARM	4	4
BACK PAIN	9	9
BLEEDING	27	27
BLS FROM FIRE/RESCUE	6	6
BLS FROM OFFICER	16	16
BURNS	1	1
CHEST PAIN	46	46
CHOKING	1	1
DIABETIC	11	11
ELEC/SHT	1	1
EXPOSURE	1	1
EYE INJURY	5	5
FALLS	52	52

CLARKSBURG FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 35	Total
FIR/APPL	4	4
FIR/BLDG	1	1
FIR/BRSH	8	8
FIR/UNK	5	5
FIR/VEH	10	10
FIRE REPORTED OUT	1	1
FIRE SERVICE CALL	17	17
FRS-PIC	4	4
GAS LEAK INSIDE STRUCTURE	8	8
GAS LEAK OUTSIDE	5	5
HAZMAT BOX ALARM	1	1
HEADACHE	1	1
HEART PROBLEMS	17	17
HELICOPTER STAND-BY	1	1
HOUSE FIRE	2	2
ILLEGAL FIRE	2	2
INVESTIGATION	10	10
INVESTIGATION - SMOKE	1	1
INVST/SD	7	7
LAKE	1	1
LOCK-IN	2	2
LOCKOUT/FOOD ON STOVE	1	1
ODOR OF SMOKE	3	3
OVERDOSE	15	15
PALLATIVE CARE	1	1
PATIENT ASSISTANCE	4	4
PENETRATING WOUND	2	2

CLARKSBURG FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 35	Total
PERSONAL INJURY COLLISION	73	73
POL-PIC	8	8
PREGNANCY	14	14
PSYCHIATRIC	9	9
RESET ALARM SYSTEM	1	1
SC/ASST	26	26
SC/CO	14	14
SC/LKIN	1	1
SC/LKOT	1	1
SC/RESET	1	1
SC/WATR	2	2
SEIZURE	18	18
SERVICE CALL FOR STUCK ELEVATOR	1	1
SICK	78	78
STROKE	11	11
SUICIDE > TO FRS VIA MCPD	11	11
TRANSFORMER FIRE	1	1
TRAUMA	32	32
TROUBLE BREATHING	54	54
TRUCK FIRE	1	1
UNCONSCIOUS	43	43
UNKNOWN MEDICAL EMERGENCY	4	4
UNKNOWN PROBLEM	21	21
VEHICLE FIRE	2	2
WIRES DOWN	9	9
TOTAL	873	873

DAMASCUS VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 13	Total
ABDOMINAL PAIN	37	37
ACTIVATED CARBON DIOXIDE DETECTOR	5	5
ACTIVATED SMOKE DETECTOR	2	2
ADAPTIVE RESPONSE	2	2
ALA/AFA	24	24
ALA/AHFA	23	23
ALA/BELS	9	9
ALLERGIC	20	20
ALS FROM FIRE/RESCUE	36	36
ALS FROM POLICE	6	6
ANIMAL BITE	2	2
ARREST	19	19
ASSAULT	10	10
AUDIBLE ALARM BELLS	1	1
AUTO HOME FIRE ALARM	2	2
AUTO LEAKING FUEL	4	4
AUTOMATIC FIRE ALARM	3	3
BACK PAIN	23	23
BLEEDING	29	29
BLS FROM FIRE/RESCUE	19	19
BLS FROM OFFICER	25	25
BOMB PRESENT	5	5
BOX ALARM	2	2
BURNS	1	1
CHEST PAIN	74	74
CHOKING	9	9
DIABETIC	31	31

DAMASCUS VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 13	Total
DUMPSTER FIRE	1	1
ELEC/SHT	4	4
EXPOSURE	1	1
EYE INJURY	1	1
FALLS	123	123
FIR/APPL	4	4
FIR/BRSH	19	19
FIR/DUMP	1	1
FIR/HOUS	7	7
FIR/LGVH	1	1
FIR/OUT	2	2
FIR/TRSH	2	2
FIR/TXFM	3	3
FIR/UNK	1	1
FIR/VEH	7	7
FIRE REPORTED OUT	1	1
FIRE SERVICE CALL	10	10
FRS-PIC	4	4
GARAGE FIRE	1	1
GAS LEAK INSIDE STRUCTURE	5	5
GAS LEAK OUTSIDE	4	4
HAZMAT BOX ALARM	1	1
HEADACHE	14	14
HEART PROBLEMS	19	19
HELICOPTER STAND-BY	1	1
HOUSE FIRE	4	4
ILLEGAL BBQ	1	1

DAMASCUS VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 13	Total
ILLEGAL FIRE	6	6
INHALATION	1	1
INVESTIGATION	10	10
INVESTIGATION - SMOKE	7	7
INVST/SD	6	6
LOCK-IN	6	6
LOCK-OUT	1	1
LOCKOUT/FOOD ON STOVE	1	1
ODOR OF SMOKE	7	7
OVERDOSE	17	17
PENETRATING WOUND	1	1
PERSONAL INJURY COLLISION	65	65
POL-PIC	9	9
PREGNANCY	11	11
PSYCHIATRIC	9	9
RES/CLPS	1	1
RESET ALARM SYSTEM	2	2
SC/ASST	27	27
SC/BBQ	1	1
SC/CO	12	12
SC/LKOT	1	1
SC/RESET	1	1
SC/WATR	6	6
SEIZURE	28	28
SERVICE CALL - TREE ON A BUILDING	1	1
SICK	143	143
STROKE	22	22

DAMASCUS VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 13	Total
SUICIDE > TO FRS VIA MCPD	10	10
TRANSFORMER FIRE	6	6
TRAUMA	46	46
TROUBLE BREATHING	109	109
UNCONSCIOUS	87	87
UNKNOWN MEDICAL EMERGENCY	6	6
UNKNOWN PROBLEM	22	22
VEHICLE FIRE	1	1
WIRES DOWN	28	28
TOTAL	1382	1382

GAITHERSBURG- WASHINGTON GROVE VOLUNTEER FIRE DEPARTMENT 01/01/2010 TO 12/31/2010

	STATION 08	STATION 28	Total
ABDOMINAL PAIN	214	72	286
ACTIVATED CARBON DIOXIDE DETECTOR	13	4	17
ACTIVATED SMOKE DETECTOR	7	0	7
ADAPTIVE RESPONSE	7	3	10
ALA/AFA	301	116	417
ALA/AHFA	121	44	165
ALA/BELS	85	15	100
ALLERGIC	65	32	97
ALS FROM FIRE/RESCUE	51	13	64
ALS FROM POLICE	68	15	83
ANIMAL BITE	10	6	16
ARREST	76	17	93
ASSAULT	97	22	119
AUDIBLE ALARM BELLS	16	2	18
AUTO HOME FIRE ALARM	19	5	24
AUTO LEAKING FUEL	9	6	15
AUTOMATIC FIRE ALARM	45	18	63
BACK PAIN	72	20	92
BLDG FIRE W/HAZMAT	1	0	1
BLEEDING	228	67	295
BLS FROM FIRE/RESCUE	38	13	51
BLS FROM OFFICER	291	60	351
BOMB PRESENT	12	14	26
BOMB THREAT	1	0	1
BOX ALARM	66	14	80
BROKEN OUTSIDE GAS SERVICE	1	1	2
BRUSH, GRASS, WOODS	0	2	2

GAITHERSBURG- WASHINGTON GROVE VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

CHEST PAIN 434 133 567 CHOKING 44 13 57 CONFINED HVAC FIRE 0 1 1 CONFINED OVEN FIRE 2 1 3 DIABETIC 152 63 215 DROWNING 1 0 1 DUMPSTER FIRE 1 0 1 ELEC/SHT 16 5 21 ELECTRICAL SHORT 6 0 6 ELECTROCUTION 3 0 3 EXPOSURE 8 2 10 EYE INJURY 11 3 14 FALLS 691 145 836 FIR/APPL 22 5 27 FIR/APT 7 2 9 FIR/BLDG 3 3 3 6 FIR/BRSH 40 25 65 FIR/DUMP 8 5 13 FIR/HOUS 16 11 27 FIR/LGVH 3 1 4 FIR/COUT 6 1 7 FIR/SEWR 0 1 1 FIR/STEPH 1 2 2 FIR/STEPH 1 2 2 FIR/STEPH 1 2 2 FIR/STEPH 1 3 1 4 FIR/SHED 1 1 1 2 FIR/STEPH 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
CHEST PAIN 434 133 567 CHOKING 44 13 57 CONFINED HVAC FIRE 0 1 1 CONFINED OVEN FIRE 2 1 3 DIABETIC 152 63 215 DROWNING 1 0 1 DUMPSTER FIRE 1 0 1 ELEC/SHT 16 5 21 ELECTRICAL SHORT 6 0 6 ELECTROCUTION 3 0 3 EXPOSURE 8 2 10 EYE INJURY 11 3 14 FALLS 691 145 836 FIR/APPL 22 5 27 FIR/APPL 22 5 27 FIR/BLDG 3 3 6 FIR/BUMP 8 5 13 FIR/HOUS 16 11 27 FIR/SEWR 0 1 1 FIR/SEWR				Total
CHOKING	BURNS	13	3	16
CONFINED HVAC FIRE 0 1 1 3 1 1 1 CONFINED OVEN FIRE 2 1 3 3 215	CHEST PAIN	434	133	567
CONFINED OVEN FIRE 2 1 3 DIABETIC 152 63 215 DROWNING 1 0 1 DUMPSTER FIRE 1 0 1 ELEC/SHT 16 5 21 ELECTRICAL SHORT 6 0 6 ELECTROCUTION 3 0 3 EXPOSURE 8 2 10 EYE INJURY 11 3 14 FALLS 691 145 836 FIR/APPL 22 5 27 FIR/APT 7 2 9 FIR/BLDG 3 3 3 6 FIR/BRSH 40 25 65 FIR/DUMP 8 5 13 FIR/HOUS 16 11 27 FIR/LGVH 3 1 4 FIR/OUT 6 1 7 FIR/SEWR 0 1 1 1 2 FIR/SEWR 0 1 1 1 2 FIR/SHED 1 1 1 2 FIR/TXFM 6 1 7 FIR/TXFM 6 1 7 FIR/TXFM 6 1 7 FIR/TXFM 6 1 7	CHOKING	44	13	57
DIABETIC 152 63 215 DROWNING 1 0 1 DUMPSTER FIRE 1 0 1 ELEC/SHT 16 5 21 ELECTRICAL SHORT 6 0 6 ELECTROCUTION 3 0 3 EXPOSURE 8 2 10 EYE INJURY 11 3 14 FALLS 691 145 836 FIR/APPL 22 5 27 FIR/APPL 7 2 9 FIR/BLDG 3 3 6 FIR/BLDG 3 3 6 FIR/BLDG 3 3 6 FIR/DUMP 8 5 13 FIR/HOUS 16 11 27 FIR/SEWR 0 1 1 FIR/SEWR 0 1 1 FIR/SHED 1 1 2 FIR/TXFM 6 1	CONFINED HVAC FIRE	0	1	1
DROWNING 1 0 1 DUMPSTER FIRE 1 0 1 ELEC/SHT 16 5 21 ELECTRICAL SHORT 6 0 6 ELECTROCUTION 3 0 3 EXPOSURE 8 2 10 EYE INJURY 11 3 14 FALLS 691 145 836 FIR/APPL 22 5 27 FIR/APPL 7 2 9 FIR/BLDG 3 3 6 FIR/BRSH 40 25 65 FIR/DUMP 8 5 13 FIR/HOUS 16 11 27 FIR/LGVH 3 1 4 FIR/COUT 6 1 7 FIR/SHED 1 1 2 FIR/TSH 6 1 7 FIR/TSH 6 1 7 FIR/TSH 6 1	CONFINED OVEN FIRE	2	1	3
DUMPSTER FIRE 1 0 1 ELEC/SHT 16 5 21 ELECTRICAL SHORT 6 0 6 ELECTROCUTION 3 0 3 EXPOSURE 8 2 10 EYE INJURY 11 3 14 FALLS 691 145 836 FIR/APPL 22 5 27 FIR/APT 7 2 9 FIR/BLDG 3 3 6 FIR/BSH 40 25 65 FIR/DUMP 8 5 13 FIR/HOUS 16 11 27 FIR/LGVH 3 1 4 FIR/OUT 6 1 7 FIR/SEWR 0 1 1 FIR/TSH 6 1 7 FIR/TSH 6 1 7 FIR/TSH 6 1 7 FIR/TSH 6 1	DIABETIC	152	63	215
ELEC/SHT 16 5 21 ELECTRICAL SHORT 6 0 6 ELECTROCUTION 3 0 3 EXPOSURE 8 2 10 EYE INJURY 11 3 14 FALLS 691 145 836 FIR/APPL 22 5 27 FIR/APT 7 2 9 FIR/BLDG 3 3 6 FIR/BRSH 40 25 65 FIR/DUMP 8 5 13 FIR/HOUS 16 11 27 FIR/LGVH 3 1 4 FIR/OUT 6 1 7 FIR/SEWR 0 1 1 FIR/SHED 1 1 2 FIR/TRSH 6 1 7 FIR/TXFM 2 6 8	DROWNING	1	0	1
ELECTRICAL SHORT 6 0 6 ELECTROCUTION 3 0 3 EXPOSURE 8 2 10 EYE INJURY 11 3 14 FALLS 691 145 836 FIR/APPL 22 5 27 FIR/APT 7 2 9 FIR/BLDG 3 3 6 FIR/BRSH 40 25 65 FIR/DUMP 8 5 13 FIR/HOUS 16 11 27 FIR/LGVH 3 1 4 FIR/SEWR 0 1 1 FIR/SEWR 0 1 1 FIR/TSHED 1 1 2 FIR/TXFM 6 1 7 FIR/TXFM 6 1 7	DUMPSTER FIRE	1	0	1
ELECTROCUTION 3 0 3 EXPOSURE 8 2 10 EYE INJURY 11 3 14 FALLS 691 145 836 FIR/APPL 22 5 27 FIR/APT 7 2 9 FIR/BLDG 3 3 3 6 FIR/BRSH 40 25 65 FIR/DUMP 8 5 13 FIR/HOUS 16 11 27 FIR/LGVH 3 1 4 FIR/OUT 6 1 7 FIR/SEWR 0 1 1 FIR/SHED 1 1 2 FIR/TXFM 6 1 7 FIR/TXFM 2 6 8	ELEC/SHT	16	5	21
EXPOSURE 8 2 10 EYE INJURY 11 3 14 FALLS 691 145 836 FIR/APPL 22 5 27 FIR/APT 7 2 9 FIR/BLDG 3 3 3 6 FIR/BRSH 40 25 65 FIR/DUMP 8 5 13 FIR/HOUS 16 11 27 FIR/COUT 6 1 7 FIR/SEWR 0 1 1 1 FIR/SEWR 0 1 1 FIR/SEWR 0 1 1 FIR/TRSH 6 1 7 FIR/TXFM 2 6 8	ELECTRICAL SHORT	6	0	6
EYE INJURY 11 3 14 FALLS 691 145 836 FIR/APPL 22 5 27 FIR/APT 7 2 9 FIR/BLDG 3 3 6 FIR/BRSH 40 25 65 FIR/DUMP 8 5 13 FIR/HOUS 16 11 27 FIR/LGVH 3 1 4 FIR/OUT 6 1 7 FIR/SEWR 0 1 1 FIR/SHED 1 1 2 FIR/TRSH 6 1 7 FIR/TXFM 2 6 8	ELECTROCUTION	3	0	3
FALLS 691 145 836 FIR/APPL 22 5 27 FIR/APT 7 2 9 FIR/BLDG 3 3 6 FIR/BRSH 40 25 65 FIR/DUMP 8 5 13 FIR/HOUS 16 11 27 FIR/LGVH 3 1 4 FIR/OUT 6 1 7 FIR/SEWR 0 1 1 FIR/SHED 1 1 2 FIR/TRSH 6 1 7 FIR/TXFM 2 6 8	EXPOSURE	8	2	10
FIR/APPL 22 5 27 FIR/APT 7 2 9 FIR/BLDG 3 3 6 FIR/BRSH 40 25 65 FIR/DUMP 8 5 13 FIR/HOUS 16 11 27 FIR/LGVH 3 1 4 FIR/OUT 6 1 7 FIR/SEWR 0 1 1 FIR/SHED 1 1 1 2 FIR/TRSH 6 1 7 FIR/TXFM 2 6 8	EYE INJURY	11	3	14
FIR/APT 7 2 9 FIR/BLDG 3 3 6 FIR/BRSH 40 25 65 FIR/DUMP 8 5 13 FIR/HOUS 16 11 27 FIR/LGVH 3 1 4 FIR/OUT 6 1 7 FIR/SEWR 0 1 1 FIR/SHED 1 1 2 FIR/TRSH 6 1 7 FIR/TXFM 2 6 8	FALLS	691	145	836
FIR/BLDG 3 3 6 FIR/BRSH 40 25 65 FIR/DUMP 8 5 13 FIR/HOUS 16 11 27 FIR/LGVH 3 1 4 FIR/OUT 6 1 7 FIR/SEWR 0 1 1 FIR/SHED 1 1 2 FIR/TRSH 6 1 7 FIR/TXFM 2 6 8	FIR/APPL	22	5	27
FIR/BRSH 40 25 65 FIR/DUMP 8 5 13 FIR/HOUS 16 11 27 FIR/LGVH 3 1 4 FIR/OUT 6 1 7 FIR/SEWR 0 1 1 FIR/SHED 1 1 1 FIR/TRSH 6 1 7 FIR/TXFM 2 6 8	FIR/APT	7	2	9
FIR/DUMP 8 5 13 FIR/HOUS 16 11 27 FIR/LGVH 3 1 4 FIR/OUT 6 1 7 FIR/SEWR 0 1 1 FIR/SHED 1 1 1 2 FIR/TRSH 6 1 7 FIR/TXFM 2 6 8	FIR/BLDG	3	3	6
FIR/HOUS 16 11 27 FIR/LGVH 3 1 4 FIR/OUT 6 1 7 FIR/SEWR 0 1 1 FIR/SHED 1 1 1 FIR/TRSH 6 1 7 FIR/TXFM 2 6 8	FIR/BRSH	40	25	65
FIR/LGVH 3 1 4 FIR/OUT 6 1 7 FIR/SEWR 0 1 1 FIR/SHED 1 1 1 2 FIR/TRSH 6 1 7 FIR/TXFM 2 6 8	FIR/DUMP	8	5	13
FIR/OUT 6 1 7 FIR/SEWR 0 1 1 FIR/SHED 1 1 1 2 FIR/TRSH 6 1 7 FIR/TXFM 2 6 8	FIR/HOUS	16	11	27
FIR/SEWR 0 1 1 FIR/SHED 1 1 2 FIR/TRSH 6 1 7 FIR/TXFM 2 6 8	FIR/LGVH	3	1	4
FIR/SHED 1 1 2 FIR/TRSH 6 1 7 FIR/TXFM 2 6 8	FIR/OUT	6	1	7
FIR/TRSH 6 1 7 FIR/TXFM 2 6 8	FIR/SEWR	0	1	1
FIR/TXFM 2 6 8	FIR/SHED	1	1	2
	FIR/TRSH	6	1	7
FIR/UNK 4 7 11	FIR/TXFM	2	6	8
	FIR/UNK	4	7	11

GAITHERSBURG- WASHINGTON GROVE VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

HM/PWDR 1 0 1 HOUSE FIRE 12 6 18 ILLEGAL BBQ 7 1 8 ILLEGAL FIRE 14 5 19 INHALATION 13 1 14 INVESTIGATION 68 30 98 INVESTIGATION - SMOKE 17 7 24 INVST/SD 10 1 11 LAKE 1 1 0 1 LOCK-IN 28 7 35 LOCK-OUT 7 2 9 LOCKOUT/FOOD ON STOVE 10 2 12 ODOR OF SMOKE 36 12 48 OVERDOSE 67 28 95 PALLATIVE CARE 362 0 362 PATIENT ASSISTANCE 20 4 24				
FIRE OTHER FIRE SERVICE CALL 73 26 99 FRS-PIC 21 18 39 GAS LEAK INSIDE STRUCTURE 56 11 67 GAS LEAK OUTSIDE 32 12 44 HAZMAT BOX ALARM 17 7 24 HEADACHE 57 18 75 HEART PROBLEMS 109 50 159 HELICOPTER STAND-BY 1 1 2 HMPWDR 1 0 1 HOUSE FIRE 112 6 18 ILLEGAL BBQ 7 1 8 ILLEGAL BBQ 7 1 8 ILLEGAL FIRE 14 5 19 INHALATION 13 1 14 INVESTIGATION 68 30 98 INVESTIGATION - SMOKE 17 7 24 INVST/SD 10 1 11 LAKE 1 0 1 LOCK-IN 28 7 35 LOCK-OUT 7 2 9 LOCKOUT/FOOD ON STOVE 10 2 12 ODOR OF SMOKE 0 362 PALLATIVE CARE 9 362 PATIENT ASSISTANCE				Total
FIRE SERVICE CALL 73 26 99 FRS-PIC 21 18 39 GAS LEAK INSIDE STRUCTURE 56 11 67 GAS LEAK OUTSIDE HAZMAT BOX ALARM 17 7 24 HEADACHE 57 18 75 HEART PROBLEMS HELICOPTER STAND-BY HOUSE FIRE 10 1 0 1 HOUSE FIRE 112 6 18 ILLEGAL BBQ 7 1 8 ILLEGAL BBQ 7 1 8 INHALATION 13 1 14 INVESTIGATION 68 30 98 INVESTIGATION 5MOKE 17 7 24 INVST/SD 10 1 1 ILAKE 10 1 1 ILOCK-UT 10 2 12 COCKOUT/FOOD ON STOVE 10 2 12 ODOR OF SMOKE 7 2 8 95 PALLATIVE CARE PATIENT ASSISTANCE 20 4 24	FIR/VEH	37	17	54
FRS-PIC 21 18 39 GAS LEAK INSIDE STRUCTURE 56 11 67 GAS LEAK OUTSIDE 32 12 44 HAZMAT BOX ALARM 17 7 24 HEADACHE 57 18 75 HEART PROBLEMS 109 50 159 HELICOPTER STAND-BY 1 1 0 1 HOUSE FIRE 12 6 18 ILLEGAL BBQ 7 1 8 ILLEGAL FIRE 14 5 19 INHALATION 13 1 14 INVESTIGATION 68 30 98 INVESTIGATION 5MOKE 17 7 24 INVST/SD 10 1 11 LAKE 1 1 0 1 LOCK-UT 7 2 9 LOCK-OUT 7 2 9 LOCKOUT/FOOD ON STOVE 10 2 12 ODOR OF SMOKE 36 12 48 OVERDOSE 67 28 95 PALILATIVE CARE 362 0 362 PATIENT ASSISTANCE 20 4 24	FIRE OTHER	1	1	2
GAS LEAK INSIDE STRUCTURE 56 11 67 GAS LEAK OUTSIDE 32 12 44 HAZMAT BOX ALARM 17 7 24 HEADACHE 57 18 75 HEART PROBLEMS 109 50 159 HELICOPTER STAND-BY 1 1 2 HM/PWDR 1 1 0 1 HOUSE FIRE 12 6 18 ILLEGAL BBQ 7 1 8 ILLEGAL FIRE 14 5 19 INHALATION 13 1 14 INVESTIGATION 68 30 98 INVESTIGATION - SMOKE 17 7 24 INVST/SD 10 1 11 LOCK-IN 28 7 35 LOCK-OUT 7 2 9 LOCKOUT/FOOD ON STOVE 10 2 12 ODOR OF SMOKE 36 12 48 OVERDOSE 67 28 95 PALILATIVE CARE 362 0 362 PATIENT ASSISTANCE 20 4 24	FIRE SERVICE CALL	73	26	99
GAS LEAK OUTSIDE 32 12 44 HAZMAT BOX ALARM 17 7 24 HEADACHE 57 18 75 HEART PROBLEMS 109 50 159 HELICOPTER STAND-BY 1 1 2 HM/PWDR 1 0 1 HOUSE FIRE 12 6 18 ILLEGAL BBQ 7 1 8 ILLEGAL FIRE 14 5 19 INHALATION 13 1 14 INVESTIGATION 68 30 98 INVESTIGATION 68 30 98 INVESTIGATION 10 1 11 LAKE 1 0 1 LOCK-OUT 7 2 9 LOCK-OUT 7 2 9 LOCKOUT/FOOD ON STOVE 10 2 12 ODOR OF SMOKE 36 12 48 OVERDOSE 67 28 95 PALLATIVE CARE 362 0 362 PATIENT ASSISTANCE 20 4 24	FRS-PIC	21	18	39
HAZMAT BOX ALARM 17 7 24 HEADACHE 57 18 75 HEART PROBLEMS 109 50 159 HELICOPTER STAND-BY 1 1 2 HM/PWDR 1 0 1 HOUSE FIRE 12 6 18 ILLEGAL BBQ 7 1 8 ILLEGAL FIRE 14 5 19 INHALATION 13 1 14 INVESTIGATION 68 30 98 INVESTIGATION 68 30 98 INVESTIGATION 10 1 11 LAKE 1 0 1 0 1 LOCK-OUT 7 2 9 LOCKOUT/FOOD ON STOVE 10 2 12 ODOR OF SMOKE 36 12 48 OVERDOSE 67 28 95 PALLATIVE CARE 362 0 362 PATIENT ASSISTANCE 20 4 24	GAS LEAK INSIDE STRUCTURE	56	11	67
HEADACHE 57 18 75 HEART PROBLEMS 109 50 159 HELICOPTER STAND-BY 1 1 2 HM/PWDR 1 1 0 1 HOUSE FIRE 12 6 18 ILLEGAL BBQ 7 1 8 ILLEGAL FIRE 14 5 19 INHALATION 13 1 14 INVESTIGATION 68 30 98 INVESTIGATION 68 30 98 INVESTIGATION 10 1 11 LAKE 1 1 0 1 LOCK-IN 28 7 35 LOCK-OUT 7 2 9 LOCKOUT/FOOD ON STOVE 10 2 12 ODOR OF SMOKE 36 12 48 OVERDOSE 67 28 95 PALLATIVE CARE 362 0 362 PATIENT ASSISTANCE 20 4 24	GAS LEAK OUTSIDE	32	12	44
HEART PROBLEMS 109 50 159 HELICOPTER STAND-BY 1	HAZMAT BOX ALARM	17	7	24
HELICOPTER STAND-BY HM/PWDR HOUSE FIRE 112 6 18 ILLEGAL BBQ 7 1 8 ILLEGAL FIRE 114 5 19 INHALATION 13 1 14 INVESTIGATION 68 30 98 INVESTIGATION - SMOKE 17 7 24 INVST/SD 10 1 11 LAKE 1 0 1 LOCK-OUT 7 2 9 LOCKOUT/FOOD ON STOVE ODOR OF SMOKE OVERDOSE PALLATIVE CARE PATIENT ASSISTANCE 1 1 0 24 24 24 24 24 24 24 24 24 24	HEADACHE	57	18	75
HM/PWDR 1 0 1 HOUSE FIRE 12 6 18 ILLEGAL BBQ 7 1 8 ILLEGAL FIRE 14 5 19 INHALATION 13 1 14 INVESTIGATION 68 30 98 INVESTIGATION - SMOKE 17 7 24 INVST/SD 10 1 11 LAKE 1 1 0 1 LOCK-IN 28 7 35 LOCK-OUT 7 2 9 LOCKOUT/FOOD ON STOVE 10 2 12 ODOR OF SMOKE 36 12 48 OVERDOSE 67 28 95 PALLATIVE CARE 362 0 362 PATIENT ASSISTANCE 20 4 24	HEART PROBLEMS	109	50	159
HOUSE FIRE 12 6 18 ILLEGAL BBQ 7 1 8 ILLEGAL FIRE 14 5 19 INHALATION 13 1 14 INVESTIGATION 68 30 98 INVESTIGATION - SMOKE 17 7 24 INVST/SD 10 1 11 LAKE 1 0 1 LOCK-IN 28 7 35 LOCK-OUT 7 2 9 LOCKOUT/FOOD ON STOVE 10 2 12 ODOR OF SMOKE 36 12 48 OVERDOSE 67 28 95 PALLATIVE CARE 362 0 362 PATIENT ASSISTANCE 20 4 24	HELICOPTER STAND-BY	1	1	2
ILLEGAL BBQ 7 1 8 ILLEGAL FIRE 14 5 19 INHALATION 13 1 14 INVESTIGATION 68 30 98 INVESTIGATION - SMOKE 17 7 24 INVST/SD 10 1 11 LAKE 1 0 1 LOCK-IN 28 7 35 LOCK-OUT 7 2 9 LOCKOUT/FOOD ON STOVE 10 2 12 ODOR OF SMOKE 36 12 48 OVERDOSE 67 28 95 PALLATIVE CARE 362 0 362 PATIENT ASSISTANCE 20 4 24	HM/PWDR	1	0	1
ILLEGAL FIRE 14 5 19 INHALATION 13 1 14 INVESTIGATION 68 30 98 INVESTIGATION - SMOKE 17 7 24 INVST/SD 10 1 11 LAKE 1 0 1 LOCK-IN 28 7 35 LOCK-OUT 7 2 9 LOCKOUT/FOOD ON STOVE 10 2 12 ODOR OF SMOKE 36 12 48 OVERDOSE 67 28 95 PALLATIVE CARE 362 0 362 PATIENT ASSISTANCE 20 4 24	HOUSE FIRE	12	6	18
INHALATION 13 1 14 INVESTIGATION 68 30 98 INVESTIGATION - SMOKE 17 7 24 INVST/SD 10 1 11 LAKE 1 0 1 LOCK-IN 28 7 35 LOCK-OUT 7 2 9 LOCKOUT/FOOD ON STOVE 10 2 12 ODOR OF SMOKE 36 12 48 OVERDOSE 67 28 95 PALLATIVE CARE 362 0 362 PATIENT ASSISTANCE 20 4 24	ILLEGAL BBQ	7	1	8
INVESTIGATION 68 30 98 INVESTIGATION - SMOKE 17 7 24 INVST/SD 10 1 11 LAKE 1 0 1 LOCK-IN 28 7 35 LOCK-OUT 7 2 9 LOCKOUT/FOOD ON STOVE 10 2 12 ODOR OF SMOKE 36 12 48 OVERDOSE 67 28 95 PALLATIVE CARE 362 0 362 PATIENT ASSISTANCE 20 4 24	ILLEGAL FIRE	14	5	19
INVESTIGATION - SMOKE 17 7 24 INVST/SD 10 1 11 LAKE 1 0 1 LOCK-IN 28 7 35 LOCK-OUT 7 2 9 LOCKOUT/FOOD ON STOVE 10 2 12 ODOR OF SMOKE 36 12 48 OVERDOSE 67 28 95 PALLATIVE CARE 362 0 362 PATIENT ASSISTANCE 20 4 24	INHALATION	13	1	14
INVST/SD 10 1 11 LAKE 1 0 1 LOCK-IN 28 7 35 LOCK-OUT 7 2 9 LOCKOUT/FOOD ON STOVE 10 2 12 ODOR OF SMOKE 36 12 48 OVERDOSE 67 28 95 PALLATIVE CARE 362 0 362 PATIENT ASSISTANCE 20 4 24	INVESTIGATION	68	30	98
LAKE 1 0 1 LOCK-IN 28 7 35 LOCK-OUT 7 2 9 LOCKOUT/FOOD ON STOVE 10 2 12 ODOR OF SMOKE 36 12 48 OVERDOSE 67 28 95 PALLATIVE CARE 362 0 362 PATIENT ASSISTANCE 20 4 24	INVESTIGATION - SMOKE	17	7	24
LOCK-IN 28 7 35 LOCK-OUT 7 2 9 LOCKOUT/FOOD ON STOVE 10 2 12 ODOR OF SMOKE 36 12 48 OVERDOSE 67 28 95 PALLATIVE CARE 362 0 362 PATIENT ASSISTANCE 20 4 24	INVST/SD	10	1	11
LOCK-OUT 7 2 9 LOCKOUT/FOOD ON STOVE 10 2 12 ODOR OF SMOKE 36 12 48 OVERDOSE 67 28 95 PALLATIVE CARE 362 0 362 PATIENT ASSISTANCE 20 4 24	LAKE	1	0	1
LOCKOUT/FOOD ON STOVE 10 2 12 ODOR OF SMOKE 36 12 48 OVERDOSE 67 28 95 PALLATIVE CARE 362 0 362 PATIENT ASSISTANCE 20 4 24	LOCK-IN	28	7	35
ODOR OF SMOKE 36 12 48 OVERDOSE 67 28 95 PALLATIVE CARE 362 0 362 PATIENT ASSISTANCE 20 4 24	LOCK-OUT	7	2	9
OVERDOSE 67 28 95 PALLATIVE CARE 362 0 362 PATIENT ASSISTANCE 20 4 24	LOCKOUT/FOOD ON STOVE	10	2	12
PALLATIVE CARE 362 0 362 PATIENT ASSISTANCE 20 4 24	ODOR OF SMOKE	36	12	48
PATIENT ASSISTANCE 20 4 24	OVERDOSE	67	28	95
	PALLATIVE CARE	362	0	362
PENETRATING WOUND 31 7 38	PATIENT ASSISTANCE	20	4	24
	PENETRATING WOUND	31	7	38

GAITHERSBURG- WASHINGTON GROVE VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 08	STATION 28	Total
PERSONAL INJURY COLLISION	531	310	841
PLAN/LG	0	1	1
PLAN/SM	0	1	1
POLE FIRE	0	1	1
POL-PIC	107	35	142
PREGNANCY	70	24	94
PSYCHIATRIC	113	22	135
RES/CLPS	1	0	1
RES/CONF	1	0	1
RES/TRNC	0	1	1
RESET ALARM SYSTEM	25	6	31
SC/ASST	205	45	250
SC/BBQ	16	0	16
SC/CO	16	11	27
SC/LKIN	8	2	10
SC/LKOT	3	4	7
SC/RESET	9	3	12
SC/WATR	41	8	49
SEIZURE	190	65	255
SERVICE CALL - TREE ON A BUILDING	8	2	10
SERVICE CALL FOR STUCK ELEVATOR	80	0	80
SICK	905	236	1141
SMALL TRUCK FIRE	1	0	1
SPECIAL DETAIL EVENT	21	0	21
STROKE	109	40	149
SUICIDE > TO FRS VIA MCPD	28	15	43
TRANSFORMER FIRE	7	4	11

GAITHERSBURG- WASHINGTON GROVE VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 08	STATION 28	Total
TRASH FIRE OUTSIDE	0	1	1
TRAUMA	164	57	221
TROUBLE BREATHING	596	176	772
TRUCK FIRE	0	2	2
UNCONSCIOUS	408	128	536
UNDETERMINED FIRE	0	1	1
UNKNOWN MEDICAL EMERGENCY	58	12	70
UNKNOWN PROBLEM	230	69	299
VEHICLE FIRE	14	0	14
WATERFLOW ALARM	2	2	4
WIRES DOWN	53	22	75
TOTAL	8542	2599	11141

GERMANTOWN VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 29	STATION 34	Total
ABDOMINAL PAIN	79	57	136
ACTIVATED CARBON DIOXIDE DETECTOR	8	1	9
ACTIVATED SMOKE DETECTOR	5	6	11
ADAPTIVE RESPONSE	3	3	6
ALA/AFA	87	87	174
ALA/AHFA	13	39	52
ALA/BELS	33	25	58
ALLERGIC	23	20	43
ALS FROM FIRE/RESCUE	11	2	13
ALS FROM POLICE	32	10	42
ANIMAL BITE	2	2	4
ARREST	24	18	42
ASSAULT	29	25	54
AUDIBLE ALARM BELLS	13	1	14
AUTO HOME FIRE ALARM	5	4	9
AUTO LEAKING FUEL	3	5	8
AUTOMATIC FIRE ALARM	28	6	34
BACK PAIN	28	22	50
BLEEDING	48	53	101
BLS FROM FIRE/RESCUE	11	5	16
BLS FROM OFFICER	68	43	111
BOMB PRESENT	13	5	18
BOX ALARM	20	7	27
BROKEN OUTSIDE GAS SERVICE	1	0	1
BRUSH, GRASS, WOODS	1	1	2
BURNS	3	1	4
CHEST PAIN	135	158	293

GERMANTOWN VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 29	STATION 34	Total
CHOKING	10	11	21
CONFINED OVEN FIRE	1	0	1
DIABETIC	56	37	93
DUMPSTER FIRE	2	0	2
ELEC/SHT	7	4	11
EXPOSURE	3	2	5
EYE INJURY	1	2	3
FALLS	142	115	257
FIR/APPL	14	6	20
FIR/APT	3	4	7
FIR/BLDG	1	2	3
FIR/BRSH	23	24	47
FIR/DUMP	3	1	4
FIR/HOUS	5	8	13
FIR/LGVH	2	3	5
FIR/OUT	4	3	7
FIR/TRSH	3	1	4
FIR/TXFM	2	1	3
FIR/UNK	1	1	2
FIR/VEH	12	15	27
FIRE OTHER	0	1	1
FIRE REPORTED OUT	1	0	1
FIRE SERVICE CALL	32	12	44
FIREOUT W/SMOKE COND	1	0	1
FRS-PIC	2	3	5
FUEL SPILL	1	1	2
GAS LEAK INSIDE STRUCTURE	15	19	34

GERMANTOWN VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 29	STATION 34	Total
GAS LEAK OUTSIDE	6	4	10
HAZMAT BOX ALARM	2	4	6
HEADACHE	22	14	36
HEART PROBLEMS	43	42	85
HELICOPTER STAND-BY	0	8	8
HOUSE FIRE	1	2	3
ILLEGAL BBQ	2	3	5
ILLEGAL FIRE	8	5	13
INHALATION	0	2	2
INVESTIGATION	35	19	54
INVESTIGATION - SMOKE	6	5	11
INVST/SD	12	13	25
LOCK-IN	13	10	23
LOCK-OUT	8	0	8
LOCKOUT/FOOD ON STOVE	3	1	4
MA/R	0	1	1
ODOR OF SMOKE	19	6	25
OVERDOSE	17	28	45
PALLATIVE CARE	2373	0	2373
PATIENT ASSISTANCE	9	1	10
PENETRATING WOUND	4	10	14
PERSONAL INJURY COLLISION	203	147	350
POLE FIRE	2	0	2
POL-PIC	29	14	43
PREGNANCY	36	24	60
PSYCHIATRIC	40	24	64
RES/CONF	1	0	1

GERMANTOWN VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 29	STATION 34	Total	
RES/LOW	1	0	1	
RESET ALARM SYSTEM	13	2	15	
SC/ASST	62	39	101	
SC/BBQ	6	3	9	
SC/CO	15	12	27	
SC/LKIN	7	5	12	
SC/LKOT	4	1	5	
SC/RESET	5	3	8	
SC/WATR	18	17	35	
SEIZURE	84	56	140	
SERVICE CALL FOR STUCK ELEVATOR	6	2	8	
SICK	278	206	484	
SMALL TRUCK FIRE	1	0	1	
STROKE	38	24	62	
SUICIDE > TO FRS VIA MCPD	14	12	26	
TRANSFORMER FIRE	5	1	6	
TRASH FIRE OUTSIDE	1	0	1	
TRAUMA	44	48	92	
TROUBLE BREATHING	214	134	348	
UNCONSCIOUS	128	93	221	
UNKNOWN MEDICAL EMERGENCY	11	15	26	
UNKNOWN PROBLEM	90	65	155	
VEHICLE FIRE	3	5	8	
WIRES DOWN	12	18	30	
TOTAL	5027	2030	7057	

GLEN ECHO VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 11	Total
ABDOMINAL PAIN	22	22
ACTIVATED CARBON DIOXIDE DETECTOR	5	5
ACTIVATED SMOKE DETECTOR	1	1
ADAPTIVE RESPONSE	1	1
ALA/AFA	59	59
ALA/AHFA	112	112
ALA/BELS	5	5
ALLERGIC	15	15
ALS FROM FIRE/RESCUE	2	2
ALS FROM POLICE	3	3
ANIMAL BITE	2	2
ARREST	15	15
ASSAULT	1	1
AUTO HOME FIRE ALARM	20	20
AUTOMATIC FIRE ALARM	16	16
BACK PAIN	13	13
BLEEDING	28	28
BLS FROM FIRE/RESCUE	12	12
BLS FROM OFFICER	13	13
BOMB PRESENT	8	8
BOX ALARM	4	4
BURNS	1	1
CHEST PAIN	56	56
CHOKING	10	10
CONFINED OVEN FIRE	2	2
DIABETIC	18	18
ELEC/SHT	3	3

GLEN ECHO VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 11	Total
ELECTROCUTION	1	1
EXPOSURE	2	2
FALLS	142	142
FIR/APPL	3	3
FIR/BLDG	1	1
FIR/BRSH	7	7
FIR/HOUS	2	2
FIR/LGVH	1	1
FIR/OUT	1	1
FIR/TXFM	8	8
FIR/UNK	1	1
FIR/VEH	4	4
FIRE OTHER	1	1
FIRE SERVICE CALL	12	12
FRS-PIC	3	3
FUEL SPILL	1	1
GAS LEAK INSIDE STRUCTURE	13	13
GAS LEAK OUTSIDE	7	7
HAZMAT BOX ALARM	2	2
HEADACHE	4	4
HEART PROBLEMS	28	28
HM/PWDR	1	1
HOUSE FIRE	3	3
ILLEGAL FIRE	2	2
INHALATION	1	1
INLAND WATER RESCUE	2	2
INVESTIGATION	16	16

GLEN ECHO VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 11	Total
INVESTIGATION - SMOKE	1	1
INVST/SD	6	6
LOCK-IN	2	2
LOCK-OUT	5	5
LOCKOUT/FOOD ON STOVE	1	1
MUTUAL AID RESCUE	1	1
ODOR OF SMOKE	11	11
OVERDOSE	2	2
PALLATIVE CARE	39	39
PATIENT ASSISTANCE	3	3
PENETRATING WOUND	1	1
PERSONAL INJURY COLLISION	78	78
POL-PIC	7	7
PREGNANCY	2	2
PSYCHIATRIC	6	6
RES/CLPS	1	1
RESET ALARM SYSTEM	4	4
SC/ASST	43	43
SC/CO	16	16
SC/LKIN	3	3
SC/WATR	5	5
SEIZURE	26	26
SERVICE CALL - TREE ON A BUILDING	2	2
SERVICE CALL FOR STUCK ELEVATOR	4	4
SICK	133	133
STROKE	20	20
SUICIDE > TO FRS VIA MCPD	3	3

GLEN ECHO VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 11	Total
TRANSFORMER FIRE	6	6
TRAUMA	29	29
TROUBLE BREATHING	59	59
UNCONSCIOUS	75	75
UNKNOWN MEDICAL EMERGENCY	11	11
UNKNOWN PROBLEM	49	49
WATERFLOW ALARM	2	2
WIRES DOWN	98	98
TOTAL	1470	1470

HILLANDALE VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

ACTIVATED CARBON DIOXIDE DETECTOR ACTIVATED SMOKE DETECTOR ADAPTIVE RESPONSE ALA/AFA ALA/AHFA ALA/BELS ALLERGIC ALS FROM FIRE/RESCUE ANIMAL BITE ARREST ASSAULT AUDIBLE ALARM BELLS AUTO HOME FIRE ALARM BACK PAIN BARN FIRE BLEEDING BLS FROM FIRE/RESCUE BLS FROM OFFICER	02	STATION	1
ACTIVATED CARBON DIOXIDE DETECTOR ACTIVATED SMOKE DETECTOR ADAPTIVE RESPONSE ALA/AFA ALA/AHFA ALA/BELS ALLERGIC ALS FROM FIRE/RESCUE ANIMAL BITE ARREST ASSAULT AUDIBLE ALARM BELLS AUTO HOME FIRE ALARM BACK PAIN BARN FIRE BLEEDING BLS FROM FIRE/RESCUE BLS FROM OFFICER	02	24	Total
ACTIVATED SMOKE DETECTOR ADAPTIVE RESPONSE ALA/AFA ALA/AFA ALA/BELS ALLERGIC ALS FROM FIRE/RESCUE ALS FROM POLICE ANIMAL BITE ARREST ASSAULT AUDIBLE ALARM BELLS AUTO HOME FIRE ALARM AUTO LEAKING FUEL AUTOMATIC FIRE ALARM BACK PAIN BARN FIRE BLEEDING BLS FROM OFFICER		48	150
ADAPTIVE RESPONSE ALA/AFA ALA/AHFA ALA/BELS ALLERGIC ALS FROM FIRE/RESCUE ALS FROM POLICE ANIMAL BITE ARREST ASSAULT AUDIBLE ALARM BELLS AUTO HOME FIRE ALARM AUTO LEAKING FUEL AUTOMATIC FIRE ALARM BACK PAIN BARN FIRE BLEEDING BLS FROM FIRE/RESCUE	6	4	10
ALA/AFA ALA/AHFA ALA/BELS ALLERGIC ALS FROM FIRE/RESCUE ANIMAL BITE ARREST ASSAULT AUDIBLE ALARM BELLS AUTO HOME FIRE ALARM AUTO LEAKING FUEL AUTOMATIC FIRE ALARM BACK PAIN BARN FIRE BLEEDING BLS FROM OFFICER	5	2	7
ALA/AHFA ALA/BELS ALLERGIC ALS FROM FIRE/RESCUE ALS FROM POLICE ANIMAL BITE ARREST ASSAULT AUDIBLE ALARM BELLS AUTO HOME FIRE ALARM AUTO LEAKING FUEL AUTOMATIC FIRE ALARM BACK PAIN BARN FIRE BLEEDING BLS FROM OFFICER	5	3	8
ALA/BELS ALLERGIC ALS FROM FIRE/RESCUE ALS FROM POLICE ANIMAL BITE ARREST ASSAULT AUDIBLE ALARM BELLS AUTO HOME FIRE ALARM AUTO LEAKING FUEL AUTOMATIC FIRE ALARM BACK PAIN BARN FIRE BLEEDING BLS FROM OFFICER	91	71	162
ALLERGIC ALS FROM FIRE/RESCUE ALS FROM POLICE ANIMAL BITE ARREST ASSAULT AUDIBLE ALARM BELLS AUTO HOME FIRE ALARM AUTO LEAKING FUEL AUTOMATIC FIRE ALARM BACK PAIN BARN FIRE BLEEDING BLS FROM OFFICER	51	44	95
ALS FROM FIRE/RESCUE ALS FROM POLICE ANIMAL BITE ARREST ASSAULT AUDIBLE ALARM BELLS AUTO HOME FIRE ALARM AUTO LEAKING FUEL AUTOMATIC FIRE ALARM BACK PAIN BARN FIRE BLEEDING BLS FROM FIRE/RESCUE BLS FROM OFFICER	35	2	37
ALS FROM POLICE ANIMAL BITE ARREST ASSAULT AUDIBLE ALARM BELLS AUTO HOME FIRE ALARM AUTO LEAKING FUEL AUTOMATIC FIRE ALARM BACK PAIN BARN FIRE BLEEDING BLS FROM OFFICER	28	21	49
ANIMAL BITE ARREST ASSAULT AUDIBLE ALARM BELLS AUTO HOME FIRE ALARM AUTO LEAKING FUEL AUTOMATIC FIRE ALARM BACK PAIN BARN FIRE BLEEDING BLS FROM OFFICER	9	8	17
ARREST ASSAULT AUDIBLE ALARM BELLS AUTO HOME FIRE ALARM AUTO LEAKING FUEL AUTOMATIC FIRE ALARM BACK PAIN BARN FIRE BLEEDING BLS FROM FIRE/RESCUE BLS FROM OFFICER	24	13	37
ASSAULT AUDIBLE ALARM BELLS AUTO HOME FIRE ALARM AUTO LEAKING FUEL AUTOMATIC FIRE ALARM BACK PAIN BARN FIRE BLEEDING BLS FROM FIRE/RESCUE BLS FROM OFFICER	1	1	2
AUDIBLE ALARM BELLS AUTO HOME FIRE ALARM AUTO LEAKING FUEL AUTOMATIC FIRE ALARM BACK PAIN BARN FIRE BLEEDING BLS FROM FIRE/RESCUE BLS FROM OFFICER	31	24	55
AUTO HOME FIRE ALARM AUTO LEAKING FUEL AUTOMATIC FIRE ALARM BACK PAIN BARN FIRE BLEEDING BLS FROM FIRE/RESCUE BLS FROM OFFICER	45	11	56
AUTO LEAKING FUEL AUTOMATIC FIRE ALARM BACK PAIN BARN FIRE BLEEDING BLS FROM FIRE/RESCUE BLS FROM OFFICER	15	0	15
AUTOMATIC FIRE ALARM BACK PAIN BARN FIRE BLEEDING BLS FROM FIRE/RESCUE BLS FROM OFFICER	8	9	17
BACK PAIN BARN FIRE BLEEDING BLS FROM FIRE/RESCUE BLS FROM OFFICER	5	0	5
BARN FIRE BLEEDING BLS FROM FIRE/RESCUE BLS FROM OFFICER	17	10	27
BLEEDING BLS FROM FIRE/RESCUE BLS FROM OFFICER	43	19	62
BLS FROM OFFICER	0	1	1
BLS FROM OFFICER	95	53	148
	12	13	25
DOMD DDESENT	86	33	119
BOMB PRESENT	7	15	22
BOX ALARM	20	4	24
BURNS	3	1	4
CHEST PAIN 1	75	131	306
CHOKING :	21	8	29

HILLANDALE VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 12	STATION 24	Total
CONFINED HVAC FIRE	0	1	1
DIABETIC	55	37	92
DROWNING	0	1	1
ELEC/SHT	3	6	9
ELECTRICAL SHORT	2	1	3
EXPOSURE	2	5	7
EYE INJURY	9	4	13
FALLS	197	129	326
FIR/APPL	15	9	24
FIR/APT	3	0	3
FIR/BLDG	4	1	5
FIR/BRSH	23	7	30
FIR/DUMP	7	3	10
FIR/HOUS	5	15	20
FIR/LGVH	3	5	8
FIR/OUT	1	0	1
FIR/SHED	0	1	1
FIR/TRSH	0	3	3
FIR/TXFM	7	1	8
FIR/UNK	4	2	6
FIR/VEH	12	2	14
FIRE OTHER	0	1	1
FIRE REPORTED OUT	0	1	1
FIRE SERVICE CALL	22	11	33
FIREOUT W/SMOKE COND	2	0	2
FRS-PIC	10	6	16
GAS LEAK INSIDE STRUCTURE	25	7	32

HILLANDALE VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

GAS LEAK OUTSIDE GAS/BOX HAZMAT BOX ALARM HEADACHE HEART PROBLEMS	STATION 12 22 0	STATION 24	Total 23
GAS/BOX HAZMAT BOX ALARM HEADACHE			22
HAZMAT BOX ALARM HEADACHE	0	4	23
HEADACHE		1	1
	5	4	9
HEART PROBLEMS	25	12	37
	64	30	94
HOUSE FIRE	4	4	8
ILLEGAL BBQ	4	0	4
ILLEGAL FIRE	2	11	13
INHALATION	2	2	4
INVESTIGATION	23	14	37
INVESTIGATION - SMOKE	3	3	6
INVST/SD	5	2	7
LOCK-IN	7	7	14
LOCK-OUT	4	0	4
LOCKOUT/FOOD ON STOVE	3	0	3
MA/ALS	1	0	1
MA/R	11	0	11
MUTUAL AID RESCUE	6	0	6
ODOR OF SMOKE	22	13	35
OVERDOSE	34	13	47
PALLATIVE CARE	9	190	199
PATIENT ASSISTANCE	8	4	12
PENETRATING WOUND	9	1	10
PERSONAL INJURY COLLISION	292	150	442
POLE FIRE	0	1	1
POL-PIC	39	15	54
PREGNANCY	54	4	58

HILLANDALE VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION		
	12	STATION 24	Total
PSYCHIATRIC	45	25	70
RES/CLPS	2	1	3
RES/HIGH	1	0	1
RESET ALARM SYSTEM	10	3	13
SC/ASST	77	76	153
SC/BBQ	1	0	1
SC/CO	22	15	37
SC/LKIN	6	2	8
SC/LKOT	1	1	2
SC/RESET	4	3	7
SC/WATR	16	10	26
SEIZURE	91	34	125
SERVICE CALL - TREE ON A BUILDING	7	1	8
SERVICE CALL FOR STUCK ELEVATOR	28	8	36
SICK	450	284	734
STROKE	66	54	120
SUICIDE > TO FRS VIA MCPD	8	9	17
TRANSFORMER FIRE	7	5	12
TRAUMA	47	41	88
TROUBLE BREATHING	276	178	454
TRUCK FIRE	2	1	3
UNCONSCIOUS	185	117	302
UNKNOWN MEDICAL EMERGENCY	19	14	33
UNKNOWN PROBLEM	81	97	178
VEHICLE FIRE	7	3	10
WIRES DOWN	83	67	150
TOTAL	3551	2339	5890

HYATTSTOWN VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 09	Total
ABDOMINAL PAIN	1	1
ADAPTIVE RESPONSE	1	1
ALA/AFA	3	3
ALA/AHFA	1	1
ALS FROM FIRE/RESCUE	6	6
ALS FROM POLICE	1	1
ARREST	1	1
BLEEDING	1	1
BLS FROM FIRE/RESCUE	6	6
BLS FROM OFFICER	3	3
BOMB PRESENT	1	1
BRUSH, GRASS, WOODS	1	1
CHEST PAIN	6	6
DIABETIC	1	1
EXPOSURE	1	1
FALLS	8	8
FIR/BRSH	5	5
FIR/LGVH	3	3
FIR/UNK	1	1
FIR/VEH	5	5
FRS-PIC	3	3
GAS LEAK INSIDE STRUCTURE	1	1
HAZMAT BOX ALARM	1	1
HEADACHE	1	1
HEART PROBLEMS	3	3
HOUSE FIRE	1	1
INVESTIGATION	4	4

HYATTSTOWN VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 09	Total	
INVESTIGATION - SMOKE	5	5	
MA/ALS	2	2	
MA/R	1	1	
MUTUAL AID FIRE	5	5	
MUTUAL AID RESCUE	4	4	
OVERDOSE	1	1	
PERSONAL INJURY COLLISION	26	26	
POL-PIC	6	6	
SC/ASST	8	8	
SEIZURE	1	1	
SERVICE CALL - TREE ON A BUILDING	1	1	
SICK	13	13	
STROKE	2	2	
SUICIDE > TO FRS VIA MCPD	1	1	
TRAUMA	3	3	
TROUBLE BREATHING	7	7	
UNCONSCIOUS	7	7	
UNKNOWN MEDICAL EMERGENCY	1	1	
UNKNOWN PROBLEM	5	5	
VEHICLE FIRE	3	3	
WIRES DOWN	9	9	
TOTAL	181	181	

KENSINGTON VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 05	STATION 18	STATION 21	STATION 25	Total		
ABDOMINAL PAIN	64	68	53	223	408		
ACTIVATED CARBON DIOXIDE DETECTOR	15	9	12	16	52		
ACTIVATED SMOKE DETECTOR	4	0	1	7	12		
ADAPTIVE RESPONSE	1	2	3	4	10		
ALA/AFA	71	94	23	76	264		
ALA/AHFA	60	35	26	61	182		
ALA/BELS	7	10	14	47	78		
ALLERGIC	17	11	21	66	115		
ALS FROM FIRE/RESCUE	18	17	5	15	55		
ALS FROM POLICE	8	19	18	28	73		
ANIMAL BITE	0	2	2	2	6		
ARREST	35	23	31	67	156		
ASSAULT	5	23	28	45	101		
AUDIBLE ALARM BELLS	2	2	5	9	18		
AUTO HOME FIRE ALARM	10	5	4	7	26		
AUTO LEAKING FUEL	1	1	1	3	6		
AUTOMATIC FIRE ALARM	20	29	1	20	70		
BACK PAIN	18	25	13	119	175		
BLEEDING	67	56	66	220	409		
BLS FROM FIRE/RESCUE	32	30	10	27	99		
BLS FROM OFFICER	30	100	68	110	308		
BOMB PRESENT	2	10	4	8	24		
BOMB THREAT	0	0	2	0	2		
BOX ALARM	4	11	1	34	50		
BROKEN OUTSIDE GAS SERVICE	1	0	0	0	1		
BURNS	0	3	2	4	9		
CHEST PAIN	164	131	102	378	775		

KENSINGTON VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 05	STATION 18	STATION 21	STATION 25	Total
CHOKING	7	9	6	30	52
CONFINED HVAC FIRE	1	0	0	0	1
CONFINED OVEN FIRE	0	0	0	1	1
DIABETIC	36	48	38	135	257
ELEC/SHT	4	4	1	14	23
ELECTRICAL SHORT	0	1	1	7	9
ELECTROCUTION	0	2	0	3	5
EXPOSURE	1	5	1	4	11
EYE INJURY	1	6	1	7	15
FALLS	283	146	130	900	1459
FIR/APPL	4	6	2	24	36
FIR/APT	0	2	0	9	11
FIR/BLDG	1	1	0	5	7
FIR/BRSH	11	7	8	13	39
FIR/DUMP	0	1	2	1	4
FIR/HOUS	4	9	11	4	28
FIR/LGVH	1	1	0	1	3
FIR/OUT	2	0	0	5	7
FIR/SHED	0	1	0	0	1
FIR/TRSH	1	0	0	2	3
FIR/TXFM	8	4	6	4	22
FIR/UNK	0	4	3	2	9
FIR/VEH	4	9	8	14	35
FIRE REPORTED OUT	1	1	0	1	3
FIRE SERVICE CALL	13	14	14	45	86
FIREOUT W/SMOKE COND	1	0	0	0	1
FOOD ON THE STOVE	0	0	0	1	1

KENSINGTON VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 05	STATION 18	STATION 21	STATION 25	Total
FRS-PIC	9	4	8	4	25
FUEL SPILL	0	2	0	0	2
GAS LEAK INSIDE STRUCTURE	14	26	9	37	86
GAS LEAK OUTSIDE	18	6	18	17	59
HAZMAT BOX ALARM	2	2	1	3	8
HEADACHE	12	13	13	51	89
HEART PROBLEMS	65	32	39	144	280
HELICOPTER STAND-BY	1	1	0	0	2
HM/PWDR	1	0	0	0	1
HOUSE FIRE	6	6	0	7	19
ILLEGAL BBQ	0	2	0	7	9
ILLEGAL FIRE	6	4	10	13	33
INHALATION	5	2	2	2	11
INLAND WATER RESCUE	1	0	1	0	2
INVESTIGATION	30	23	10	43	106
INVESTIGATION - SMOKE	4	4	5	9	22
INVST/SD	6	4	1	20	31
LOCK-IN	13	11	4	9	37
LOCK-OUT	1	3	2	5	11
LOCKOUT/FOOD ON STOVE	1	2	2	3	8
ODOR OF SMOKE	10	9	6	48	73
OVERDOSE	15	25	21	42	103
PALLATIVE CARE	115	153	143	448	859
PATIENT ASSISTANCE	14	2	5	82	103
PENETRATING WOUND	3	9	11	14	37
PERSONAL INJURY COLLISION	81	178	198	266	723
POLE FIRE	1	1	0	0	2

KENSINGTON VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 05	STATION 18	STATION 21	STATION 25	Total
POL-PIC	6	39	23	31	99
PREGNANCY	12	18	16	30	76
PSYCHIATRIC	19	24	45	104	192
RES/CLPS	0	1	0	0	1
RESET ALARM SYSTEM	4	1	1	13	19
SC/ASST	80	52	48	741	921
SC/BBQ	1	1	0	5	7
SC/CO	28	14	22	32	96
SC/LKIN	2	3	3	4	12
SC/LKOT	2	2	0	3	7
SC/RESET	0	1	2	11	14
SC/WATR	13	8	9	31	61
SEIZURE	57	73	38	93	261
SERVICE CALL - TREE ON A BUILDING	5	5	7	7	24
SERVICE CALL FOR STUCK ELEVATOR	16	7	19	20	62
SICK	301	280	243	1093	1917
SPECIAL DETAIL EVENT	0	0	1	0	1
STROKE	80	31	33	145	289
SUICIDE > TO FRS VIA MCPD	9	9	12	19	49
SUSPICIOUS PACKAGE	0	1	0	0	1
TRAN/OTH	1	0	0	0	1
TRANSFORMER FIRE	3	8	8	5	24
TRAUMA	45	59	34	108	246
TROUBLE BREATHING	195	158	150	577	1080
UNCONSCIOUS	108	107	82	372	669
UNKNOWN HAZMAT	1	0	2	2	5
UNKNOWN MEDICAL EMERGENCY	12	13	16	64	105

KENSINGTON VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 05	STATION 18	STATION 21	STATION 25	Total
UNKNOWN PROBLEM	122	81	67	171	441
VEHICLE FIRE	0	4	1	5	10
WATERFLOW ALARM	1	0	0	1	2
WIRES DOWN	117	108	114	68	407
TOTAL	2714	2629	2253	7857	15453

KINGSVIEW FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 22	Total
ABDOMINAL PAIN	49	49
ACTIVATED CARBON DIOXIDE DETECTOR	7	7
ACTIVATED SMOKE DETECTOR	20	20
ADAPTIVE RESPONSE	3	3
ALA/AFA	50	50
ALA/AHFA	46	46
ALA/BELS	12	12
ALLERGIC	30	30
ALS FROM FIRE/RESCUE	3	3
ALS FROM POLICE	10	10
ARREST	13	13
ASSAULT	20	20
AUDIBLE ALARM BELLS	4	4
AUTO HOME FIRE ALARM	6	6
AUTO LEAKING FUEL	1	1
AUTOMATIC FIRE ALARM	7	7
BACK PAIN	21	21
BLEEDING	39	39
BLS FROM FIRE/RESCUE	14	14
BLS FROM OFFICER	30	30
BOMB PRESENT	3	3
BOMB THREAT	2	2
BOX ALARM	7	7
BRUSH, GRASS, WOODS	2	2
BURNS	5	5
CHEST PAIN	79	79
CHOKING	9	9

KINGSVIEW FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 22	Total
CONFINED HVAC FIRE	1	1
DIABETIC	49	49
DROWNING	1	1
ELEC/SHT	5	5
ELECTRICAL SHORT	2	2
EXPOSURE	4	4
EYE INJURY	1	1
FALLS	103	103
FIR/APPL	10	10
FIR/APT	1	1
FIR/BRSH	19	19
FIR/DUMP	1	1
FIR/HOUS	4	4
FIR/LGVH	1	1
FIR/OUT	2	2
FIR/TRSH	3	3
FIR/TXFM	4	4
FIR/VEH	8	8
FIRE SERVICE CALL	33	33
FIREOUT W/SMOKE COND	1	1
FRS-PIC	5	5
GARAGE FIRE	1	1
GAS LEAK INSIDE STRUCTURE	16	16
GAS LEAK OUTSIDE	3	3
HAZMAT BOX ALARM	2	2
HEADACHE	10	10
HEART PROBLEMS	15	15

KINGSVIEW FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 22	Total
HOUSE FIRE	6	6
ILLEGAL BBQ	1	1
ILLEGAL FIRE	2	2
INHALATION	1	1
INVESTIGATION	22	22
INVESTIGATION - SMOKE	4	4
INVST/SD	17	17
LAKE	1	1
LOCK-IN	4	4
LOCK-OUT	4	4
LOCKOUT/FOOD ON STOVE	2	2
ODOR OF SMOKE	7	7
OVERDOSE	15	15
PALLATIVE CARE	2	2
PATIENT ASSISTANCE	15	15
PENETRATING WOUND	5	5
PERSONAL INJURY COLLISION	92	92
POL-PIC	12	12
PREGNANCY	14	14
PSYCHIATRIC	25	25
RESET ALARM SYSTEM	2	2
SC/ASST	71	71
SC/BBQ	5	5
SC/CO	15	15
SC/LKIN	4	4
SC/LKOT	1	1
SC/RESET	1	1

KINGSVIEW FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 22	Total
SC/WATR	16	16
SEIZURE	42	42
SERVICE CALL FOR STUCK ELEVATOR	2	2
SICK	160	160
SPECIAL DETAIL EVENT	10	10
STROKE	30	30
SUICIDE > TO FRS VIA MCPD	14	14
TRANSFORMER FIRE	4	4
TRASH FIRE OUTSIDE	1	1
TRAUMA	67	67
TROUBLE BREATHING	146	146
UNCONSCIOUS	97	97
UNKNOWN HAZMAT	2	2
UNKNOWN MEDICAL EMERGENCY	12	12
UNKNOWN PROBLEM	31	31
VEHICLE FIRE	1	1
WIRES DOWN	27	27
TOTAL	1809	1809

LAYTONSVILLE VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 17	Total
ABDOMINAL PAIN	22	22
ACTIVATED CARBON DIOXIDE DETECTOR	9	9
ALA/AFA	15	15
ALA/AHFA	35	35
ALA/BELS	3	3
ALLERGIC	9	9
ALS FROM FIRE/RESCUE	10	10
ALS FROM POLICE	7	7
ARREST	9	9
ASSAULT	7	7
AUTO HOME FIRE ALARM	6	6
AUTO LEAKING FUEL	2	2
AUTOMATIC FIRE ALARM	2	2
BACK PAIN	3	3
BLEEDING	22	22
BLS FROM FIRE/RESCUE	9	9
BLS FROM OFFICER	11	11
BOMB PRESENT	2	2
BOX ALARM	4	4
BRUSH, GRASS, WOODS	1	1
BURNS	2	2
CHEST PAIN	56	56
CHOKING	4	4
DIABETIC	15	15
ELEC/SHT	2	2
ELECTRICAL SHORT	1	1
EXPOSURE	1	1

LAYTONSVILLE VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 17	Total
FALLS	54	54
FIR/APPL	5	5
FIR/BRSH	15	15
FIR/HOUS	9	9
FIR/LGVH	1	1
FIR/OUT	3	3
FIR/TXFM	3	3
FIR/UNK	2	2
FIR/VEH	4	4
FIRE SERVICE CALL	12	12
FRS-PIC	8	8
GAS LEAK INSIDE STRUCTURE	6	6
GAS LEAK OUTSIDE	6	6
HAZMAT BOX ALARM	2	2
HEADACHE	7	7
HEART PROBLEMS	21	21
HOUSE FIRE	4	4
ILLEGAL FIRE	8	8
INVESTIGATION	18	18
INVESTIGATION - SMOKE	6	6
INVST/SD	6	6
LAKE	1	1
LOCK-IN	3	3
LOCK-OUT	1	1
LOCKOUT/FOOD ON STOVE	3	3
ODOR OF SMOKE	2	2
OVERDOSE	9	9

LAYTONSVILLE VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 17	Total
PALLATIVE CARE	1	1
PATIENT ASSISTANCE	2	2
PENETRATING WOUND	1	1
PERSONAL INJURY COLLISION	101	101
POL-PIC	7	7
PREGNANCY	8	8
PSYCHIATRIC	6	6
RESET ALARM SYSTEM	3	3
SC/ASST	18	18
SC/CO	7	7
SC/LKIN	1	1
SC/LKOT	1	1
SC/RESET	1	1
SC/WATR	2	2
SEIZURE	23	23
SICK	102	102
STROKE	22	22
SUICIDE > TO FRS VIA MCPD	7	7
TRANSFORMER FIRE	5	5
TRAUMA	21	21
TROUBLE BREATHING	51	51
UNCONSCIOUS	49	49
UNKNOWN MEDICAL EMERGENCY	1	1
UNKNOWN PROBLEM	15	15
VEHICLE FIRE	1	1
WIRES DOWN	39	39
TOTAL	983	983

ROCKVILLE VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 03	STATION 23	STATION 31	STATION 33	Total
ABDOMINAL PAIN	211	147	80	30	468
ACTIVATED CARBON DIOXIDE DETECTOR	11	5	20	19	55
ACTIVATED SMOKE DETECTOR	4	4	13	2	23
ADAPTIVE RESPONSE	8	1	7	4	20
ALA/AFA	439	344	174	53	1010
ALA/AHFA	46	23	114	164	347
ALA/BELS	49	52	28	5	134
ALLERGIC	67	48	59	22	196
ALS FROM FIRE/RESCUE	33	8	5	8	54
ALS FROM POLICE	82	22	22	5	131
ANIMAL BITE	0	4	5	4	13
ARREST	47	47	25	22	141
ASSAULT	56	44	24	7	131
AUDIBLE ALARM BELLS	15	13	8	3	39
AUTO HOME FIRE ALARM	10	9	19	30	68
AUTO LEAKING FUEL	12	3	2	2	19
AUTOMATIC FIRE ALARM	86	62	41	7	196
BACK PAIN	68	40	26	17	151
BLDG FIRE W/HAZMAT	0	1	0	0	1
BLEEDING	163	142	70	40	415
BLS FROM FIRE/RESCUE	67	17	13	13	110
BLS FROM OFFICER	214	113	50	27	404
BOMB PRESENT	29	24	11	4	68
BOMB THREAT	3	1	1	0	5
BOX ALARM	34	18	15	3	70
BROKEN OUTSIDE GAS SERVICE	0	0	0	1	1
BRUSH, GRASS, WOODS	3	1	2	0	6

ROCKVILLE VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 03	STATION 23	STATION 31	STATION 33	Total
BURNS	4	5	3	3	15
BUS FIRE	0	1	0	0	1
CHEST PAIN	400	286	179	96	961
CHOKING	16	22	11	6	55
CONFINED OVEN FIRE	1	0	0	1	2
CONSTRUCTION EQUIP	0	1	0	0	1
CYLINDER LEAK OUTSDE	0	0	1	1	2
DIABETIC	112	70	45	21	248
DROWNING	1	2	2	1	6
DUMPSTER FIRE	0	1	1	0	2
ELEC/SHT	15	8	10	6	39
ELECTRICAL SHORT	1	4	1	5	11
ELECTROCUTION	3	2	1	1	7
EXPOSURE	9	5	4	5	23
EYE INJURY	8	4	3	1	16
FALLS	504	534	274	187	1499
FIR/APPL	9	3	11	10	33
FIR/APT	3	2	2	0	7
FIR/BLDG	5	2	0	0	7
FIR/BRSH	45	25	16	7	93
FIR/DUMP	1	6	1	0	8
FIR/HOUS	14	4	13	14	45
FIR/LGVH	10	6	3	0	19
FIR/OUT	3	2	6	2	13
FIR/SEWR	2	1	0	0	3
FIR/SHED	1	0	1	0	2
FIR/TRSH	2	3	0	1	6

ROCKVILLE VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 03	STATION 23	STATION 31	STATION 33	Total
FIR/TXFM	5	9	0	5	19
FIR/UNK	6	3	6	2	17
FIR/VEH	38	22	17	6	83
FIRE OTHER	1	0	1	0	2
FIRE REPORTED OUT	1	3	2	1	7
FIRE SERVICE CALL	67	34	45	30	176
FIREOUT W/SMOKE COND	0	0	1	0	1
FRS-PIC	37	13	6	4	60
FUEL SPILL	0	1	2	0	3
GARAGE FIRE	2	0	0	0	2
GAS LEAK INSIDE STRUCTURE	38	33	21	14	106
GAS LEAK OUTSIDE	35	15	16	17	83
HAZMAT BOX ALARM	5	7	4	2	18
HEADACHE	50	32	13	9	104
HEART PROBLEMS	148	91	56	35	330
HELICOPTER STAND-BY	3	1	1	0	5
HM/PWDR	2	1	1	0	4
HOUSE FIRE	6	4	11	4	25
ILLEGAL BBQ	2	0	2	0	4
ILLEGAL FIRE	12	4	15	8	39
INHALATION	3	2	6	3	14
INLAND WATER RESCUE	0	1	1	0	2
INSIDE ODOR OF GAS	1	0	2	0	3
INVESTIGATION	54	48	41	19	162
INVESTIGATION - SMOKE	18	8	7	2	35
INVST/SD	24	5	34	7	70
LOCK-IN	19	23	14	6	62

ROCKVILLE VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 03	STATION 23	STATION 31	STATION 33	Total
LOCK-OUT	4	7	3	2	16
LOCKOUT/FOOD ON STOVE	1	1	4	1	7
MET/OTH	6	0	0	0	6
METRO ALS INCIDENT	1	0	0	0	1
METRO BOX ALARM	3	0	0	0	3
METRO TASK FORCE	1	1	0	0	2
ODOR OF SMOKE	32	25	16	9	82
OVERDOSE	46	29	40	11	126
PALLATIVE CARE	747	363	2	473	1585
PATIENT ASSISTANCE	22	22	10	6	60
PENETRATING WOUND	8	5	6	1	20
PERSONAL INJURY COLLISION	600	356	224	96	1276
POLE FIRE	1	2	0	1	4
POL-PIC	109	29	19	4	161
PREGNANCY	46	24	16	3	89
PSYCHIATRIC	118	75	30	21	244
RESET ALARM SYSTEM	31	14	14	6	65
RIV/SWFT	0	0	3	0	3
SC/ASST	129	272	90	101	592
SC/BBQ	3	2	3	0	8
SC/CO	37	17	43	36	133
SC/LKIN	9	6	6	2	23
SC/LKOT	2	2	2	0	6
SC/RESET	11	6	6	4	27
SC/WATR	23	13	14	11	61
SEIZURE	141	100	80	25	346
SERVICE CALL - TREE ON A BUILDING	4	1	3	9	17

ROCKVILLE VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 03	STATION 23	STATION 31	STATION 33	Total
SERVICE CALL FOR STUCK ELEVATOR	111	90	22	3	226
SICK	737	609	349	161	1856
SPECIAL DETAIL EVENT	4	0	1	0	5
STROKE	93	75	57	48	273
SUICIDE > TO FRS VIA MCPD	27	15	29	7	78
TRANSFORMER FIRE	8	14	4	6	32
TRASH FIRE OUTSIDE	1	1	0	0	2
TRAUMA	168	108	100	45	421
TROUBLE BREATHING	384	306	229	108	1027
TRUCK FIRE	1	1	0	0	2
UNCONSCIOUS	417	288	204	98	1007
UNDETERMINED FIRE	0	0	1	0	1
UNKNOWN HAZMAT	0	3	1	1	5
UNKNOWN MEDICAL EMERGENCY	31	61	15	11	118
UNKNOWN PROBLEM	260	173	89	45	567
VEHICLE FIRE	14	7	5	4	30
WATERFLOW ALARM	2	0	2	0	4
WIRES DOWN	109	80	64	80	333
TOTAL	8005	5755	3553	2473	19786

SANDY SPRING VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 04	STATION 40	Total
ABDOMINAL PAIN	23	50	73
ACTIVATED CARBON DIOXIDE DETECTOR	3	8	11
ACTIVATED SMOKE DETECTOR	0	1	1
ADAPTIVE RESPONSE	0	3	3
ALA/AFA	61	61	122
ALA/AHFA	46	50	96
ALA/BELS	3	6	9
ALLERGIC	15	23	38
ALS FROM FIRE/RESCUE	3	4	7
ALS FROM POLICE	1	14	15
ANIMAL BITE	0	1	1
ARREST	7	29	36
ASSAULT	4	14	18
AUDIBLE ALARM BELLS	1	0	1
AUTO HOME FIRE ALARM	7	10	17
AUTO LEAKING FUEL	1	3	4
AUTOMATIC FIRE ALARM	11	13	24
BACK PAIN	7	35	42
BLEEDING	17	44	61
BLS FROM FIRE/RESCUE	5	14	19
BLS FROM OFFICER	10	29	39
BOMB PRESENT	1	5	6
BOMB THREAT	2	0	2
BOX ALARM	3	7	10
BROKEN OUTSIDE GAS SERVICE	0	1	1
BRUSH, GRASS, WOODS	1	1	2
BURNS	1	2	3

SANDY SPRING VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

CHEST PAIN STATION OA TOTAI CHEST PAIN 40 78 118 CHOKING 7 6 13 CONFINED OVEN FIRE 1 1 2 CYLINDER LEAK OUTSDE 1 0 1 DIABETIC 15 40 55 DROWNING 0 2 2 DUMPSTER FIRE 0 1 1 ELECISHT 3 8 11 ELECTRICAL SHORT 1 3 4 ELECTROCUTION 1 0 1 EYE INJURY 0 2 2 EYE INJURY 0 2 2 FIRAPPL 1 11 12 FIRAPPL 1 11 1 FIRAPPL 1 1 1 FIRAPPL 1 1 2 FIRAPPL 1 1 2 FIRAPPL 1 1 2 FIRAPPL 1				
CHOKING 7 6 13 CONFINED OVEN FIRE 1 1 1 2 CYLINDER LEAK OUTSDE 1 0 1 DIABETIC 15 40 55 DROWNING 0 2 2 DUMPSTER FIRE 0 1 1 1 ELEC/SHT 3 8 11 ELECTRICAL SHORT 1 0 1 EXPOSURE 2 5 7 EYE INJURY 0 2 2 FALLS 94 196 290 FIR/APPL 1 11 12 FIR/BLDG 0 1 1 FIR/SHED 0 1 1 FIR/SHED 0 1 1 FIR/TXFM 0 3 4 7 FIR/UNK 1 3 3 6 FIR/VEH 4 4 8 FIRE REPORTED OUT 0 1 1			-	Total
CONFINED OVEN FIRE 1 1 2 CYLINDER LEAK OUTSDE 1 1 0 1 DIABETIC 15 40 55 DROWNING 0 2 2 DUMPSTER FIRE 0 1 1 ELEC/SHT 3 8 11 ELECTRICAL SHORT 1 3 4 ELECTROCUTION 1 0 1 EXPOSURE 2 5 7 EYE INJURY 0 2 2 FALLS 94 196 290 FIR/APPL 1 11 12 FIR/BLDG 0 1 1 FIR/BLDG 0 1 1 FIR/BLDG 0 1 1 FIR/BLDG 0 1 1 FIR/BUMP 1 1 1 2 FIR/BUMP 1 1 1 2 FIR/BUMP 1 1 1 2 FIR/BUMP 1 1 1 1 2 FIR/BUMP 1 1 1 1 2 FIR/COUT 0 1 1 1 FIR/SHED 0 1 1 1 FIR/SHED 0 1 1 1 FIR/TXFM 3 4 7 FIR/TXFM 3 4 7 FIR/UNK 3 3 6 6 FIR/CVEH 4 4 8 FIRE REPORTED OUT 0 1 1	CHEST PAIN	40	78	118
CYLINDER LEAK OUTSDE 1 0 1 DIABETIC 15 40 55 DROWNING 0 2 2 DUMPSTER FIRE 0 1 1 ELEC/SHT 3 8 11 ELECTRICAL SHORT 1 3 4 ELECTROCUTION 1 0 1 EXPOSURE 2 5 7 EYE INJURY 0 2 2 FIR/APPL 1 11 12 FIR/APPL 1 11 12 FIR/BESH 11 16 27 FIR/BUMP 1 1 2 FIR/HOUS 3 6 9 FIR/LGVH 0 4 4 FIR/SHED 0 1 1 FIR/TXFM 3 4 7 FIR/LGVH 4 4 8 FIR/LGVH 3 3 6 FIR/LGVH 3 <	CHOKING	7	6	13
DIABETIC 15 40 55 DROWNING 0 2 2 DUMPSTER FIRE 0 1 1 ELEC/SHT 3 8 11 ELECTRICAL SHORT 1 3 4 ELECTROCUTION 1 0 1 EXPOSURE 2 5 7 EYE INJURY 0 2 2 FIR/APPL 1 11 12 FIR/APPL 1 11 12 FIR/BRSH 11 16 27 FIR/BRSH 11 16 27 FIR/HOUS 3 6 9 FIR/LGVH 0 4 4 FIR/OUT 0 1 1 FIR/SHED 0 1 1 FIR/SHED 0 1 1 FIR/LGVH 3 3 6 FIR/LGVH 3 3 6 FIR/LGVH 4 4	CONFINED OVEN FIRE	1	1	2
DROWNING 0 2 2 DUMPSTER FIRE 0 1 1 ELEC/SHT 3 8 11 ELECTRICAL SHORT 1 3 4 ELECTROCUTION 1 0 1 EXPOSURE 2 5 7 EYE INJURY 0 2 2 FALLS 94 196 290 FIR/APPL 1 11 12 FIR/APPL 1 1 1 FIR/BLDG 0 1 1 FIR/BRSH 11 16 27 FIR/DUMP 1 1 2 FIR/HOUS 3 6 9 FIR/LGVH 0 4 4 FIR/SHED 0 1 1 FIR/TXFM 3 4 7 FIR/LUNK 3 3 6 FIR/LOWH 4 4 8 FIR/LOWH 3 3	CYLINDER LEAK OUTSDE	1	0	1
DUMPSTER FIRE 0 1 1 ELEC/SHT 3 8 11 ELECTRICAL SHORT 1 3 4 ELECTROCUTION 1 0 1 EXPOSURE 2 5 7 EYE INJURY 0 2 2 FALLS 94 196 290 FIR/APPL 1 11 12 FIR/APT 0 2 2 FIR/BLDG 0 1 1 FIR/BRSH 11 16 27 FIR/DUMP 1 1 2 FIR/HOUS 3 6 9 FIR/LGVH 0 4 4 FIR/SHED 0 1 1 FIR/SHED 0 1 1 FIR/SHED 3 4 7 FIR/UNK 3 3 6 FIR/YEH 4 4 8 FIR/SHED 0 1	DIABETIC	15	40	55
ELEC/SHT 3 8 11 ELECTRICAL SHORT 1 3 4 ELECTROCUTION 1 0 1 EXPOSURE 2 5 7 EYE INJURY 0 2 2 FALLS 94 196 290 FIR/APPL 1 11 12 FIR/APT 0 2 2 FIR/BLDG 0 1 1 FIR/BRSH 11 16 27 FIR/DUMP 1 1 2 FIR/HOUS 3 6 9 FIR/LGVH 0 4 4 FIR/OUT 0 1 1 FIR/SHED 0 1 1 FIR/SHED 0 1 1 FIR/INDIK 3 4 7 FIR/UNK 3 3 6 FIR/EYEH 4 4 8 FIR/EYEH 4 4	DROWNING	0	2	2
ELECTRICAL SHORT 1 3 4 ELECTROCUTION 1 0 1 EXPOSURE 2 5 7 EYE INJURY 0 2 2 FALLS 94 196 290 FIR/APPL 1 11 11 12 FIR/APT 0 2 2 2 FIR/BLDG 0 1 1 1 1 1 1 1 1 1 2 7 1 1 1 2 3 3 1 1 1 1 2 7 2 2 2 3 3 6 9 9 9 9 9 1 1	DUMPSTER FIRE	0	1	1
ELECTROCUTION 1 0 1 EXPOSURE 2 5 7 EYE INJURY 0 2 2 FALLS 94 196 290 FIR/APPL 1 11 12 FIR/APT 0 2 2 FIR/BLDG 0 1 1 FIR/BRSH 11 16 27 FIR/DUMP 1 1 2 FIR/HOUS 3 6 9 FIR/LGVH 0 4 4 FIR/OUT 0 1 1 FIR/TXFM 3 4 7 FIR/TXFM 3 4 7 FIR/VEH 4 4 8 FIRE REPORTED OUT 0 1 1	ELEC/SHT	3	8	11
EXPOSURE 2 5 7 EYE INJURY 0 2 2 FALLS 94 196 290 FIR/APPL 1 11 11 12 FIR/BLDG 0 1 1 FIR/BRSH 11 16 27 FIR/DUMP 1 1 1 2 FIR/HOUS 3 6 9 FIR/LGVH 0 4 4 FIR/OUT 0 1 1 FIR/SHED 0 1 1 FIR/SHED 0 1 1 FIR/SHED 0 1 1 FIR/SHED 0 1 1 FIR/TXFM 3 4 7 FIR/UNK 3 3 6 FIR/UNK 3 3 6 FIR/WEH 4 4 8 FIRE REPORTED OUT 0 1 1	ELECTRICAL SHORT	1	3	4
EYE INJURY 0 2 2 FALLS 94 196 290 FIR/APPL 1 11 12 FIR/APT 0 2 2 FIR/BLDG 0 1 1 FIR/BRSH 11 16 27 FIR/DUMP 1 1 1 FIR/HOUS 3 6 9 FIR/LGVH 0 4 4 FIR/OUT 0 1 1 FIR/SHED 0 1 1 FIR/TXFM 3 4 7 FIR/UNK 3 3 6 FIR/VEH 4 4 4 FIRE REPORTED OUT 0 1 1	ELECTROCUTION	1	0	1
FALLS 94 196 290 FIR/APPL 1 11 12 FIR/APT 0 2 2 FIR/BLDG 0 1 1 FIR/BRSH 11 16 27 FIR/DUMP 1 1 1 2 FIR/HOUS 3 6 9 FIR/LGVH 0 4 4 FIR/OUT 0 1 1 FIR/SHED 0 1 1 FIR/SHED 0 1 1 FIR/TXFM 3 4 7 FIR/UNK 3 3 6 FIR/VEH 4 4 8 FIRE REPORTED OUT 0 1 1	EXPOSURE	2	5	7
FIR/APPL 1 11 12 FIR/APT 0 2 2 FIR/BLDG 0 1 1 FIR/BRSH 11 16 27 FIR/DUMP 1 1 2 FIR/HOUS 3 6 9 FIR/LGVH 0 4 4 FIR/OUT 0 1 1 FIR/SHED 0 1 1 FIR/TXFM 3 4 7 FIR/UNK 3 3 6 FIR/VEH 4 4 4 FIRE REPORTED OUT 0 1 1	EYE INJURY	0	2	2
FIR/APT 0 2 2 FIR/BLDG 0 1 1 FIR/BRSH 11 16 27 FIR/DUMP 1 1 1 2 FIR/HOUS 3 6 9 FIR/LGVH 0 4 4 FIR/OUT 0 1 1 FIR/SHED 0 1 1 FIR/TXFM 3 4 7 FIR/UNK 3 3 6 FIR/VEH 4 4 4 FIRE REPORTED OUT 0 1 1	FALLS	94	196	290
FIR/BLDG 0 1 1 FIR/BRSH 11 16 27 FIR/DUMP 1 1 2 FIR/HOUS 3 6 9 FIR/LGVH 0 4 4 FIR/OUT 0 1 1 FIR/SHED 0 1 1 FIR/TXFM 3 4 7 FIR/UNK 3 3 6 FIR/VEH 4 4 4 FIRE REPORTED OUT 0 1 1	FIR/APPL	1	11	12
FIR/BRSH 11 16 27 FIR/DUMP 1 1 2 FIR/HOUS 3 6 9 FIR/LGVH 0 4 4 FIR/OUT 0 1 1 FIR/SHED 0 1 1 FIR/TXFM 3 4 7 FIR/UNK 3 3 6 FIR/VEH 4 4 4 FIRE REPORTED OUT 0 1 1	FIR/APT	0	2	2
FIR/DUMP 1 1 2 FIR/HOUS 3 6 9 FIR/LGVH 0 4 4 FIR/OUT 0 1 1 FIR/SHED 0 1 1 FIR/TXFM 3 4 7 FIR/UNK 3 3 6 FIR/VEH 4 4 8 FIRE REPORTED OUT 0 1 1	FIR/BLDG	0	1	1
FIR/HOUS 3 6 9 FIR/LGVH 0 4 4 FIR/OUT 0 1 1 FIR/SHED 0 1 1 FIR/TXFM 3 4 7 FIR/UNK 3 3 6 FIR/VEH 4 4 4 FIRE REPORTED OUT 0 1 1	FIR/BRSH	11	16	27
FIR/LGVH 0 4 4 FIR/OUT 0 1 1 FIR/SHED 0 1 1 FIR/TXFM 3 4 7 FIR/UNK 3 3 6 FIR/VEH 4 4 4 FIRE REPORTED OUT 0 1 1	FIR/DUMP	1	1	2
FIR/OUT 0 1 1 FIR/SHED 0 1 1 FIR/TXFM 3 4 7 FIR/UNK 3 3 6 FIR/VEH 4 4 4 FIRE REPORTED OUT 0 1 1	FIR/HOUS	3	6	9
FIR/SHED 0 1 1 FIR/TXFM 3 4 7 FIR/UNK 3 3 6 FIR/VEH 4 4 4 FIRE REPORTED OUT 0 1 1	FIR/LGVH	0	4	4
FIR/TXFM 3 4 7 FIR/UNK 3 3 6 FIR/VEH 4 4 4 FIRE REPORTED OUT 0 1 1	FIR/OUT	0	1	1
FIR/UNK 3 3 6 FIR/VEH 4 4 8 FIRE REPORTED OUT 0 1 1	FIR/SHED	0	1	1
FIR/VEH 4 4 8 FIRE REPORTED OUT 0 1 1	FIR/TXFM	3	4	7
FIRE REPORTED OUT 0 1 1	FIR/UNK	3	3	6
	FIR/VEH	4	4	8
FIRE SERVICE CALL 12 20 32	FIRE REPORTED OUT	0	1	1
	FIRE SERVICE CALL	12	20	32

SANDY SPRING VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

HEART PROBLEMS				
GAS LEAK INSIDE STRUCTURE GAS LEAK OUTSIDE HAZMAT BOX ALARM HEADACHE HEART PROBLEMS HELICOPTER STAND-BY HOUSE FIRE 10 11 14 55 HOUSE FIRE 10 11 11 14 15 16 17 18 18 19 27 46 19 10 11 11 14 15 11 14 15 11 14 15 11 14 15 11 11				Total
GAS LEAK OUTSIDE 1 17 18 HAZMAT BOX ALARM 1 1 4 5 HEADACHE 2 6 8 HEART PROBLEMS 19 27 46 HELICOPTER STAND-BY 1 4 5 HM/PWDR 0 1 1 HOUSE FIRE 2 1 3 ILLEGAL FIRE 4 10 14 INHALATION 0 2 2 INVESTIGATION - SMOKE 5 4 9 INVST/SD 4 11 15 LOCK-OUT 0 2 2 LOCKOUT/FOOD ON STOVE 0 2 2 MA/R 1 0 1 CODOR OF SMOKE 5 10 15 COVERDOSE 4 20 24 PALLATIVE CARE 198 4 202 PATIENT ASSISTANCE 4 8 PENETRATING WOUND 10 2 2 PERSONAL INJURY COLLISION 112 146 258 POL-PIC 6 13 19 PREGNANCY 1 1 2	FRS-PIC	6	10	16
HAZMAT BOX ALARM 1 4 5 HEADACHE 2 6 8 HEART PROBLEMS 19 27 46 HELICOPTER STAND-BY 1 4 5 HM/PWDR 0 1 1 1 HOUSE FIRE 2 1 3 ILLEGAL FIRE 4 10 14 INHALATION 0 2 2 INVESTIGATION 10 22 32 INVESTIGATION 5 4 9 INVST/SD 4 11 15 LOCK-OUT 0 2 2 LOCKOUT/FOOD ON STOVE 0 2 2 LOCKOUT/FOOD ON STOVE 5 10 15 OVERDOSE 4 20 24 PALLATIVE CARE 198 4 202 PATIENT ASSISTANCE 4 4 8 PENETRATING WOUND 12 2 PERSONAL INJURY COLLISION 112 146 258 POL-PIC 6 13 19 PREGNANCY 1 1 2	GAS LEAK INSIDE STRUCTURE	3	38	41
HEADACHE 2 6 8 HEART PROBLEMS 19 27 46 HELICOPTER STAND-BY 1 4 5 HMI/PWDR 0 1 1 HOUSE FIRE 2 1 3 ILLEGAL FIRE 4 10 14 INHALATION 0 2 2 INVESTIGATION 10 22 32 INVESTIGATION 5 4 9 INVST/SD 4 11 15 LOCK-OUT 0 2 2 LOCKOUT/FOOD ON STOVE 0 2 2 MA/R 1 0 1 ODOR OF SMOKE 5 10 15 OVERDOSE 4 20 24 PALLATIVE CARE 198 4 202 PATIENT ASSISTANCE 4 8 PENETRATING WOUND 0 2 2 PERSONAL INJURY COLLISION 112 146 258 POL-PIC 6 13 199 PREGNANCY 1 1 2	GAS LEAK OUTSIDE	1	17	18
HEART PROBLEMS	HAZMAT BOX ALARM	1	4	5
HELICOPTER STAND-BY HM/PWDR 0 1 1 HOUSE FIRE 1 1 ILLEGAL FIRE 1 INHALATION 0 2 2 INVESTIGATION 10 22 32 INVESTIGATION - SMOKE 5 4 9 INVST/SD 1 LOCK-UT 1 LOCK-OUT 1 LOCK-OUT 1 COCK-OUT 1	HEADACHE	2	6	8
HM/PWDR	HEART PROBLEMS	19	27	46
HOUSE FIRE	HELICOPTER STAND-BY	1	4	5
ILLEGAL FIRE 4 10 14 INHALATION 0 2 2 INVESTIGATION 10 22 32 INVESTIGATION - SMOKE 5 4 9 INVST/SD 4 11 15 LOCK-IN 3 7 10 LOCK-OUT 0 2 2 LOCKOUT/FOOD ON STOVE 0 2 2 MA/R 1 0 1 ODOR OF SMOKE 5 10 15 OVERDOSE 4 20 24 PALLATIVE CARE 198 4 202 PATIENT ASSISTANCE 4 4 8 PENETRATING WOUND 0 2 2 PERSONAL INJURY COLLISION 112 146 258 POL-PIC 6 13 19 PREGNANCY 1 1 2	HM/PWDR	0	1	1
INHALATION 0 2 2 INVESTIGATION 10 22 32 INVESTIGATION - SMOKE 5 4 9 INVST/SD 4 11 15 LOCK-IN 3 7 10 LOCK-OUT 0 2 2 LOCKOUT/FOOD ON STOVE 0 2 2 MA/R 1 0 1 ODOR OF SMOKE 5 10 15 OVERDOSE 4 20 24 PALLATIVE CARE 198 4 202 PATIENT ASSISTANCE 4 4 8 PENETRATING WOUND 0 2 2 PERSONAL INJURY COLLISION 112 146 258 POL-PIC 6 13 19 PREGNANCY 1 1 2	HOUSE FIRE	2	1	3
INVESTIGATION 10 22 32 INVESTIGATION - SMOKE 5 4 9 INVST/SD 4 11 15 LOCK-IN 3 7 10 LOCK-OUT 0 2 2 LOCKOUT/FOOD ON STOVE 0 2 2 MA/R 1 0 1 ODOR OF SMOKE 5 10 15 OVERDOSE 4 20 24 PALLATIVE CARE 198 4 202 PATIENT ASSISTANCE 4 4 8 PENETRATING WOUND 0 2 2 PERSONAL INJURY COLLISION 112 146 258 POL-PIC 6 13 19 PREGNANCY 1 1 1 2	ILLEGAL FIRE	4	10	14
INVESTIGATION - SMOKE 5 4 9 INVST/SD 4 11 15 LOCK-IN 3 7 10 LOCK-OUT 0 2 2 LOCKOUT/FOOD ON STOVE 0 2 2 MA/R 1 0 1 ODOR OF SMOKE 5 10 15 OVERDOSE 4 20 24 PALLATIVE CARE 198 4 202 PATIENT ASSISTANCE 4 4 8 PENETRATING WOUND 0 2 2 PERSONAL INJURY COLLISION 112 146 258 POL-PIC 6 13 19 PREGNANCY 1 1 2	INHALATION	0	2	2
INVST/SD	INVESTIGATION	10	22	32
LOCK-IN 3 7 10 LOCK-OUT 0 2 2 LOCKOUT/FOOD ON STOVE 0 2 2 MA/R 1 0 1 ODOR OF SMOKE 5 10 15 OVERDOSE 4 20 24 PALLATIVE CARE 198 4 202 PATIENT ASSISTANCE 4 4 8 PENETRATING WOUND 0 2 2 PERSONAL INJURY COLLISION 112 146 258 POL-PIC 6 13 19 PREGNANCY 1 1 2	INVESTIGATION - SMOKE	5	4	9
LOCK-OUT 0 2 2 LOCKOUT/FOOD ON STOVE 0 2 2 MA/R 1 0 1 ODOR OF SMOKE 5 10 15 OVERDOSE 4 20 24 PALLATIVE CARE 198 4 202 PATIENT ASSISTANCE 4 4 8 PENETRATING WOUND 0 2 2 PERSONAL INJURY COLLISION 112 146 258 POL-PIC 6 13 19 PREGNANCY 1 1 2	INVST/SD	4	11	15
LOCKOUT/FOOD ON STOVE 0 2 2 MA/R 1 0 1 ODOR OF SMOKE 5 10 15 OVERDOSE 4 20 24 PALLATIVE CARE 198 4 202 PATIENT ASSISTANCE 4 4 8 PENETRATING WOUND 0 2 2 PERSONAL INJURY COLLISION 112 146 258 POL-PIC 6 13 19 PREGNANCY 1 1 2	LOCK-IN	3	7	10
MA/R 1 0 1 ODOR OF SMOKE 5 10 15 OVERDOSE 4 20 24 PALLATIVE CARE 198 4 202 PATIENT ASSISTANCE 4 4 4 8 PENETRATING WOUND 0 2 2 PERSONAL INJURY COLLISION 112 146 258 POL-PIC 6 13 19 PREGNANCY 1 1 1 2	LOCK-OUT	0	2	2
ODOR OF SMOKE 5 10 15 OVERDOSE 4 20 24 PALLATIVE CARE 198 4 202 PATIENT ASSISTANCE 4 4 4 PENETRATING WOUND 0 2 2 PERSONAL INJURY COLLISION 112 146 258 POL-PIC 6 13 19 PREGNANCY 1 1 2	LOCKOUT/FOOD ON STOVE	0	2	2
OVERDOSE 4 20 24 PALLATIVE CARE 198 4 202 PATIENT ASSISTANCE 4 4 8 PENETRATING WOUND 0 2 2 PERSONAL INJURY COLLISION 112 146 258 POL-PIC 6 13 19 PREGNANCY 1 1 2	MA/R	1	0	1
PALLATIVE CARE 198 4 202 PATIENT ASSISTANCE 4 4 8 PENETRATING WOUND 0 2 2 PERSONAL INJURY COLLISION 112 146 258 POL-PIC 6 13 19 PREGNANCY 1 1 2	ODOR OF SMOKE	5	10	15
PATIENT ASSISTANCE 4 4 8 PENETRATING WOUND 0 2 2 PERSONAL INJURY COLLISION 112 146 258 POL-PIC 6 13 19 PREGNANCY 1 1 2	OVERDOSE	4	20	24
PENETRATING WOUND 0 2 2 PERSONAL INJURY COLLISION 112 146 258 POL-PIC 6 13 19 PREGNANCY 1 1 2	PALLATIVE CARE	198	4	202
PERSONAL INJURY COLLISION 112 146 258 POL-PIC 6 13 19 PREGNANCY 1 1 2	PATIENT ASSISTANCE	4	4	8
POL-PIC 6 13 19 PREGNANCY 1 1 2	PENETRATING WOUND	0	2	2
PREGNANCY 1 1 2	PERSONAL INJURY COLLISION	112	146	258
	POL-PIC	6	13	19
PSYCHIATRIC 8 23 31	PREGNANCY	1	1	2
	PSYCHIATRIC	8	23	31

SANDY SPRING VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 04	STATION 40	Total
RESET ALARM SYSTEM	2	3	5
SC/ASST	26	82	108
SC/BBQ	0	3	3
SC/CO	5	21	26
SC/LKIN	0	2	2
SC/LKOT	0	1	1
SC/RESET	2	5	7
SC/WATR	2	8	10
SEIZURE	16	54	70
SERVICE CALL - TREE ON A BUILDING	0	1	1
SERVICE CALL FOR STUCK ELEVATOR	0	1	1
SHED FIRE	0	1	1
SICK	88	236	324
SMALL TRUCK FIRE	0	1	1
STROKE	27	26	53
SUICIDE > TO FRS VIA MCPD	1	9	10
TRANSFORMER FIRE	3	6	9
TRAUMA	33	33	66
TROUBLE BREATHING	57	144	201
UNCONSCIOUS	56	141	197
UNKNOWN MEDICAL EMERGENCY	4	9	13
UNKNOWN PROBLEM	27	51	78
VEHICLE FIRE	4	3	7
WIRES DOWN	27	38	65
TOTAL	1216	2115	3331

SILVER SPRING VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 01	STATION 16	STATION 19	Total
ABDOMINAL PAIN	124	56	38	218
ACTIVATED CARBON DIOXIDE DETECTOR	6	11	9	26
ACTIVATED SMOKE DETECTOR	1	0	3	4
ADAPTIVE RESPONSE	5	4	4	13
ALA/AFA	266	38	50	354
ALA/AHFA	13	55	35	103
ALA/BELS	59	12	12	83
ALLERGIC	27	21	9	57
ALS FROM FIRE/RESCUE	18	4	14	36
ALS FROM POLICE	52	23	14	89
ANIMAL BITE	4	0	0	4
ARREST	28	36	19	83
ASSAULT	60	40	18	118
AUDIBLE ALARM BELLS	27	5	5	37
AUTO HOME FIRE ALARM	2	19	9	30
AUTO LEAKING FUEL	6	4	2	12
AUTOMATIC FIRE ALARM	44	9	18	71
BACK PAIN	39	21	26	86
BLEEDING	103	45	32	180
BLS FROM FIRE/RESCUE	71	11	19	101
BLS FROM OFFICER	223	106	43	372
BOMB PRESENT	38	8	11	57
BOMB THREAT	6	1	0	7
BOX ALARM	40	13	9	62
BURNS	1	1	1	3
CHEST PAIN	212	107	93	412
CHOKING	12	10	6	28

SILVER SPRING VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 01	STATION 16	STATION 19	Total
DIABETIC	95	47	36	178
DUMPSTER FIRE	0	0	1	1
ELEC/SHT	7	3	7	17
ELECTRICAL SHORT	4	1	2	7
ELECTROCUTION	1	0	1	2
EXPOSURE	8	1	4	13
EYE INJURY	9	2	3	14
FALLS	281	177	124	582
FIR/APPL	7	4	3	14
FIR/APT	6	1	0	7
FIR/BLDG	7	1	2	10
FIR/BRSH	10	13	11	34
FIR/DUMP	1	0	1	2
FIR/HOUS	5	10	8	23
FIR/LGVH	3	3	2	8
FIR/OUT	2	2	5	9
FIR/TRSH	3	0	1	4
FIR/TXFM	3	8	8	19
FIR/UNK	2	6	2	10
FIR/VEH	9	15	10	34
FIRE IN SEWER	0	0	1	1
FIRE OTHER	0	1	0	1
FIRE SERVICE CALL	27	19	17	63
FIREOUT W/SMOKE COND	1	0	0	1
FRS-PIC	8	11	12	31
GARAGE FIRE	1	0	0	1
GAS LEAK INSIDE STRUCTURE	44	13	9	66

SILVER SPRING VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 01	STATION 16	STATION 19	Total	
GAS LEAK OUTSIDE	29	12	10	51	
HAZMAT BOX ALARM	7	0	3	10	
HEADACHE	31	15	10	56	
HEART PROBLEMS	64	33	22	119	
HELICOPTER STAND-BY	0	0	61	61	
HM/PWDR	1	0	0	1	
HOUSE FIRE	1	5	0	6	
ILLEGAL BBQ	1	1	1	3	
ILLEGAL FIRE	5	7	1	13	
INHALATION	8	2	0	10	
INLAND WATER RESCUE	0	1	0	1	
INSIDE ODOR OF GAS	0	1	1	2	
INVESTIGATION	34	18	23	75	
INVESTIGATION - SMOKE	7	7	4	18	
INVST/SD	1	4	7	12	
LOCK-IN	18	14	6	38	
LOCK-OUT	6	1	0	7	
LOCKOUT/FOOD ON STOVE	2	2	1	5	
MET/OTH	0	0	1	1	
METRO BOX ALARM	1	0	0	1	
ODOR OF SMOKE	16	13	8	37	
OVERDOSE	26	17	8	51	
PALLATIVE CARE	1	48	126	175	
PATIENT ASSISTANCE	17	13	8	38	
PENETRATING WOUND	10	6	2	18	
PERSONAL INJURY COLLISION	233	338	259	830	
POL-PIC	35	27	34	96	

SILVER SPRING VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 01	STATION 16	STATION 19	Total
PREGNANCY	34	26	15	75
PSYCHIATRIC	73	27	17	117
RESET ALARM SYSTEM	22	4	4	30
SC/ASST	80	84	53	217
SC/BBQ	0	3	2	5
SC/CO	7	22	16	45
SC/LKIN	5	2	3	10
SC/LKOT	2	1	0	3
SC/RESET	6	5	4	15
SC/WATR	16	8	10	34
SEIZURE	128	54	38	220
SERVICE CALL - TREE ON A BUILDING	1	3	4	8
SERVICE CALL FOR STUCK ELEVATOR	159	11	39	209
SICK	610	244	206	1060
STROKE	59	41	20	120
SUICIDE > TO FRS VIA MCPD	17	7	4	28
TRANSFORMER FIRE	5	7	10	22
TRAUMA	59	50	29	138
TROUBLE BREATHING	249	124	108	481
UNCONFIRMED	1	0	0	1
UNCONSCIOUS	212	125	97	434
UNKNOWN HAZMAT	0	1	1	2
UNKNOWN MEDICAL EMERGENCY	39	28	21	88
UNKNOWN PROBLEM	205	184	61	450
VEHICLE FIRE	6	13	0	19
WIRES DOWN	68	105	112	285
TOTAL	4648	2762	2239	9649

TAKOMA PARK VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 02	Total
ABDOMINAL PAIN	50	50
ACTIVATED CARBON DIOXIDE DETECTOR	8	8
ACTIVATED SMOKE DETECTOR	3	3
ADAPTIVE RESPONSE	6	6
ALA/AFA	51	51
ALA/AHFA	28	28
ALA/BELS	24	24
ALLERGIC	14	14
ALS FROM FIRE/RESCUE	10	10
ALS FROM POLICE	24	24
ANIMAL BITE	7	7
ARREST	19	19
ASSAULT	17	17
AUDIBLE ALARM BELLS	5	5
AUTO HOME FIRE ALARM	3	3
AUTO LEAKING FUEL	3	3
AUTOMATIC FIRE ALARM	11	11
BACK PAIN	16	16
BLEEDING	42	42
BLS FROM FIRE/RESCUE	21	21
BLS FROM OFFICER	101	101
BOMB PRESENT	2	2
BOX ALARM	15	15
BURNS	1	1
BUS FIRE	1	1
CHEST PAIN	84	84
CHOKING	4	4

TAKOMA PARK VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 02	Total
CONFINED HVAC FIRE	1	1
DIABETIC	40	40
ELEC/SHT	6	6
ELECTRICAL SHORT	1	1
EXPOSURE	2	2
FALLS	129	129
FIR/APPL	2	2
FIR/APT	7	7
FIR/BLDG	5	5
FIR/BRSH	10	10
FIR/DUMP	2	2
FIR/HOUS	7	7
FIR/OUT	2	2
FIR/SHED	1	1
FIR/TRSH	1	1
FIR/TXFM	5	5
FIR/UNK	1	1
FIR/VEH	8	8
FIRE SERVICE CALL	24	24
FRS-PIC	11	11
FUEL SPILL	1	1
GAS LEAK INSIDE STRUCTURE	20	20
GAS LEAK OUTSIDE	15	15
HAZMAT BOX ALARM	2	2
HEADACHE	15	15
HEART PROBLEMS	34	34
HELICOPTER STAND-BY	2	2

TAKOMA PARK VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 02	Total
HOUSE FIRE	5	5
ILLEGAL BBQ	2	2
ILLEGAL FIRE	9	9
INHALATION	1	1
INSIDE ODOR OF GAS	1	1
INVESTIGATION	22	22
INVESTIGATION - SMOKE	11	11
INVST/SD	9	9
LOCK-IN	10	10
LOCK-OUT	2	2
LOCKOUT/FOOD ON STOVE	3	3
MA/ALS	1	1
MA/R	2	2
MUTUAL AID RESCUE	1	1
ODOR OF SMOKE	11	11
OVERDOSE	20	20
PALLATIVE CARE	163	163
PATIENT ASSISTANCE	7	7
PENETRATING WOUND	6	6
PERSONAL INJURY COLLISION	93	93
POLE FIRE	1	1
POL-PIC	18	18
PREGNANCY	12	12
PSYCHIATRIC	24	24
RESET ALARM SYSTEM	8	8
SC/ASST	61	61
SC/BBQ	2	2

TAKOMA PARK VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 02	Total
SC/CO	9	9
SC/LKOT	3	3
SC/RESET	5	5
SC/WATR	16	16
SEIZURE	56	56
SERVICE CALL - TREE ON A BUILDING	1	1
SERVICE CALL FOR STUCK ELEVATOR	42	42
SICK	232	232
STROKE	26	26
SUICIDE > TO FRS VIA MCPD	6	6
TRANSFORMER FIRE	5	5
TRASH FIRE OUTSIDE	1	1
TRAUMA	32	32
TROUBLE BREATHING	154	154
UNCONSCIOUS	96	96
UNKNOWN MEDICAL EMERGENCY	29	29
UNKNOWN PROBLEM	73	73
VEHICLE FIRE	6	6
WIRES DOWN	84	84
TOTAL	2305	2305

TRAINING ACADEMY

01/01/2010 TO 12/31/2010

	STATION 27	Total
ALS FROM FIRE/RESCUE	3	3
BLS FROM FIRE/RESCUE	7	7
BLS FROM OFFICER	2	2
HELICOPTER STAND-BY	1	1
SPECIAL DETAIL EVENT	1	1
TRAUMA	2	2
TOTAL	16	16

UPPER MONTGOMERY VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 14	Total
ABDOMINAL PAIN	15	15
ACTIVATED CARBON DIOXIDE DETECTOR	2	2
ADAPTIVE RESPONSE	3	3
ALA/AFA	10	10
ALA/AHFA	9	9
ALLERGIC	10	10
ALS FROM FIRE/RESCUE	26	26
ALS FROM POLICE	1	1
ANIMAL BITE	1	1
ARREST	7	7
ASSAULT	6	6
AUTO HOME FIRE ALARM	5	5
AUTOMATIC FIRE ALARM	5	5
BACK PAIN	2	2
BLEEDING	19	19
BLS FROM FIRE/RESCUE	21	21
BLS FROM OFFICER	8	8
BOMB PRESENT	2	2
BOX ALARM	3	3
BRUSH, GRASS, WOODS	3	3
BURNS	3	3
CHEST PAIN	36	36
CHOKING	2	2
DIABETIC	7	7
ELEC/SHT	1	1
ELECTRICAL SHORT	1	1
EXPOSURE	8	8

UPPER MONTGOMERY VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 14	Total
EYE INJURY	1	1
FALLS	52	52
FIR/APPL	1	1
FIR/BRSH	14	14
FIR/DUMP	1	1
FIR/HOUS	4	4
FIR/SHED	2	2
FIR/TRSH	3	3
FIR/UNK	5	5
FIR/VEH	3	3
FIRE SERVICE CALL	12	12
FRS-PIC	3	3
GAS LEAK INSIDE STRUCTURE	5	5
GAS LEAK OUTSIDE	4	4
HAZMAT BOX ALARM	1	1
HEADACHE	2	2
HEART PROBLEMS	12	12
HOUSE FIRE	1	1
ILLEGAL FIRE	1	1
INVESTIGATION	11	11
INVESTIGATION - SMOKE	3	3
LOCK-IN	2	2
LOCKOUT/FOOD ON STOVE	1	1
ODOR OF SMOKE	2	2
OVERDOSE	4	4
PALLATIVE CARE	1	1
PATIENT ASSISTANCE	1	1

UPPER MONTGOMERY VOLUNTEER FIRE DEPARTMENT

01/01/2010 TO 12/31/2010

	STATION 14	Total
PERSONAL INJURY COLLISION	55	55
POL-PIC	5	5
PSYCHIATRIC	10	10
RES/CLPS	1	1
RESET ALARM SYSTEM	2	2
RIV/STIL	1	1
SC/ASST	6	6
SC/CO	1	1
SC/LKIN	1	1
SC/WATR	4	4
SEIZURE	13	13
SERVICE CALL - TREE ON A BUILDING	1	1
SICK	52	52
SPECIAL DETAIL EVENT	3	3
STROKE	13	13
SUICIDE > TO FRS VIA MCPD	2	2
TRANSFORMER FIRE	2	2
TRAUMA	28	28
TROUBLE BREATHING	40	40
UNCONSCIOUS	28	28
UNDETERMINED FIRE	1	1
UNKNOWN MEDICAL EMERGENCY	5	5
UNKNOWN PROBLEM	4	4
WIRES DOWN	40	40
TOTAL	686	686

WHEATON RESCUE SQUAD

01/01/2010 TO 12/31/2010

	STATION R2	Total
ABDOMINAL PAIN	105	105
ACTIVATED CARBON DIOXIDE DETECTOR	8	8
ACTIVATED SMOKE DETECTOR	3	3
ADAPTIVE RESPONSE	1	1
ALA/AFA	98	98
ALA/AHFA	39	39
ALA/BELS	33	33
ALLERGIC	28	28
ALS FROM FIRE/RESCUE	15	15
ALS FROM POLICE	40	40
ARREST	25	25
ASSAULT	55	55
AUDIBLE ALARM BELLS	14	14
AUTO HOME FIRE ALARM	9	9
AUTO LEAKING FUEL	5	5
AUTOMATIC FIRE ALARM	24	24
BACK PAIN	40	40
BLEEDING	88	88
BLS FROM FIRE/RESCUE	43	43
BLS FROM OFFICER	186	186
BOMB PRESENT	11	11
BOX ALARM	18	18
BURNS	1	1
CHEST PAIN	165	165
CHOKING	11	11
CONFINED HVAC FIRE	1	1
CONFINED OVEN FIRE	2	2

	STATION R2	Total
DIABETIC	58	58
DROWNING	1	1
ELEC/SHT	5	5
ELECTRICAL SHORT	2	2
EXPOSURE	4	4
EYE INJURY	7	7
FALLS	256	256
FIR/APPL	8	8
FIR/APT	4	4
FIR/BLDG	2	2
FIR/BRSH	5	5
FIR/DUMP	3	3
FIR/HOUS	6	6
FIR/OUT	1	1
FIR/SEWR	1	1
FIR/TRSH	3	3
FIR/TXFM	9	9
FIR/UNK	2	2
FIR/VEH	15	15
FIRE SERVICE CALL	30	30
FRS-PIC	11	11
GAS LEAK INSIDE STRUCTURE	21	21
GAS LEAK OUTSIDE	22	22
HEADACHE	21	21
HEART PROBLEMS	47	47
HOUSE FIRE	4	4
ILLEGAL BBQ	1	1
ILLEGAL FIRE	3	3
INHALATION	2	2
INLAND WATER RESCUE	1	1
INVESTIGATION	27	27

	STATION R2	Total
INVESTIGATION - SMOKE	8	8
INVST/SD	11	11
LOCK-IN	9	9
LOCK-OUT	5	5
LOCKOUT/FOOD ON STOVE	1	1
MET/OTH	1	1
ODOR OF SMOKE	17	17
OVERDOSE	18	18
PALLATIVE CARE	295	295
PATIENT ASSISTANCE	11	11
PENETRATING WOUND	6	6
PERSONAL INJURY COLLISION	252	252
POL-PIC	38	38
PREGNANCY	19	19
PSYCHIATRIC	60	60
RES/CONF	1	1
RESET ALARM SYSTEM	6	6
RIV/SWFT	1	1
SC/ASST	138	138
SC/BBQ	1	1
SC/CO	24	24
SC/LKIN	3	3
SC/RESET	2	2
SC/WATR	16	16
SEIZURE	73	73
SERVICE CALL - TREE ON A BUILDING	6	6
SERVICE CALL FOR STUCK ELEVATOR	27	27
SICK	443	443
STROKE	69	69
SUICIDE > TO FRS VIA MCPD	13	13
TRANSFORMER FIRE	7	7

	STATION R2	Total
TRASH FIRE OUTSIDE	1	1
TRAUMA	59	59
TROUBLE BREATHING	239	239
UNCONSCIOUS	161	161
UNKNOWN HAZMAT	2	2
UNKNOWN MEDICAL EMERGENCY	30	30
UNKNOWN PROBLEM	152	152
VEHICLE FIRE	3	3
WATERFLOW ALARM	1	1
WIRES DOWN	120	120
TOTAL	3999	3999

CALLS FOR SERVICE BY THE CALL TYPE DISPATCHED BY MCFRS

Summary

	Total
Bethesda Fire Department	8,193
Bethesda-Chevy Chase Rescue Squad	1,614
Burtonsville Volunteer Fire Department	4,148
Cabin John Park Volunteer Fire Department	2,533
Chevy Chase Fire Department	1,887
Clarksburg Fire Department	873
Damascus Volunteer Fire Department	1,382
Gaithersburg- Washington Grove Volunteer Fire Department	11,141
Germantown Volunteer Fire Department	7,057
Glen Echo Volunteer Fire Department	1,470
Hillandale Volunteer Fire Department	5,890
Hyattstown Volunteer Fire Department	181
Kensington Volunteer Fire Department	15,453
Kingsview Fire Department	1,809
Laytonsville Volunteer Fire Department	983
Rockville Volunteer Fire Department	19,786
Sandy Spring Volunteer Fire Department	3,331
Silver Spring Volunteer Fire Department	9,649
Takoma Park Volunteer Fire Department	2,305
Training Academy	16
Upper Montgomery Volunteer Fire Department	686
Wheaton Rescue Squad	3,999
Total	104,386